

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 131/133

01 05 2007

ISSN 1015-8235

Synonymical and distributional List of the species of Içel Province (South Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Içel Province (South Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 131/133: 1-20.

This paper deals with the Lepidoptera species hitherto recorded in the Içel Province in the South Turkey. Totally 828 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Içel Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Içel. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 828 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Nemophora fasciella (Fabricius,1775)** (Adelidae) *fasciella* Fabricius,1775; *schiffmillerella* [Denis & Schiffmüller],1775; *fascia* Haworth,1828; *schiffmuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867 05 16 33 44 46
- 2) **Alucita huebneri Wallengren,1859** (Alucitidae) *huebneri* Wallengren,1859 06 33 50
- 3) **Alucita klimeschi Scholz,1997** (Alucitidae) *klimeschi* Scholz,1997 33 65
- 4) **Alucita pseudohuebneri Scholz,1997** (Alucitidae) *pseudohuebneri* Scholz,1997 33
- 5) **Alucita zonodactyla Zeller,1847** (Alucitidae) *zonodactyla* Zeller,1847 33 35 46
- 6) **Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 7) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936. 05 07 10 12 16 24 31 33 35 36 44 46 51 60
- 8) **Eilema costalis (Zeller,1847)** (Arctiidae) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 9) **Euplagia quadripunctaria (Poda,1761)** (Arctiidae) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. 01 05 07 08 09 14 16 25 29 33 35 45 46 52 53 62 65
- 10) **Muscula muscula (Staudinger,1899)** (Arctiidae) *muscula* Staudinger,1899 01 07 31 33 35 46 71
- 11) **Ocnogyna (s.str.) bellieri (Lederer,1855)** (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. 01 02 07 31 33 42 46 63
- 12) **Ocnogyna (s.str.) herrichi Staudinger,1879** (Arctiidae) *herrichi* Staudinger,1879 01 12 33 44 46 62
- 13) **Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. 01 07 13 15 27 30 31 32 33 65
- 14) **Paidia (s.str.) albescens (Staudinger,1892)** (Arctiidae) *albescens* Staudinger,1892 01 31 33 46
- 15) **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 16) **Phragmatobia placida (Frigalsky,1835)** (Arctiidae) *placida* Frigalsky,1835 04 05 06 23 30 32 33 36 42 43 46 60 65
- 17) **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffmüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. 01 05 07 13 16 21 30 33 44 46 47 48 56 58 63 65

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Priamus 11 (5), 11 (6), et seq.

- 18) **Aglais urticae (Linnaeus,1758)** (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 19) **Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnidae) *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträsser,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *bauvarica* Spuler,1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 20) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 21) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Scherz,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 22) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 nec Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 nec Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 23) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 24) **Brenthis daphne (Bergsträsser,1780)** (Argynnidae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 25) **Charaxes jasius (Linnaeus,1767)** (Argynnidae) *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917. 07 09 33 34 35 48 80
- 26) **Cynthia cardui (Linnaeus,1758)** (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 27) **Hypolimnas misippus (Linnaeus,1764)** (Argynnidae) *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883. 33
- 28) **Issoria lathonia (Linnaeus,1758)** (Argynnidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 29) **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnidae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 30) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidae) *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträsser,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 31) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnidae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 32) **Melitaea (Cinclidia) collina Lederer,1861** (Argynnidae) *collina* Lederer,1861 01 21 23 24 27 30 31 33 44 62 63 65 73
- 33) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 34) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 35) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 36) **Nymphalis antiopa (Linnaeus,1758)** (Argynnidae) *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 37) **Nymphalis polychloros (Linnaeus,1758)** (Argynnidae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 38) **Nymphalis xanthomelas (Esper,[1781])** (Argynnidae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 39) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 40) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 41) **Thaleropsis ionia (Eversmann,1851)** (Argynnidae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 42) **Vanessa atalanta (Linnaeus,1758)** (Argynnidae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 43) **Amselina emir (Gozmany,1961)** (Autostichidae) *emir* Gozmany,1961 06 32 33 42 71
- 44) **Apiletria (s.str.) luella Lederer,1855** (Autostichidae) *luella* Lederer,1855 33
- 45) **Aprominta bifasciata (Staudinger,1870)** (Autostichidae) *bifasciata* Staudinger,1870; *virginella* Rebel,1902. 01 16 31 33 35? 42 46 51
- 46) **Arragonia anatolica Gozmany,1986** (Autostichidae) *anatolica* Gozmany,1986 06 33 50 58
- 47) **Charadraula cassandra Gozmany,1967** (Autostichidae) *cassandra* Gozmany,1967 01 33 35
- 48) **Deroxena venosulella (Möschler,1862)** (Autostichidae) *venosulella* Möschler,1862; *neglectella* Lederer,1863. 05 16 33
- 49) **Dysspastus cinerascens Gozmany,1968** (Autostichidae) *cinerascens* Gozmany,1968 33 51
- 50) **Brachodes compar (Staudinger,1879)** (Brachodidae) *compar* Staudinger,1879 05 33 46
- 51) **Brachodes tristis (Staudinger,1879)** (Brachodidae) *tristis* Staudinger,1879 33
- 52) **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) *ledereri* Rogenhofer,1873 07 23 24 30 31 33 46 62 65 73 80
- 53) **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962 05 06 12 14 16 33 34 41 46 53 55 76
- 54) **Coleophora asthenella Constant,1893** (Coleophoridae) *asthenella* Constant,1893 33

- 55) *Coleophora calycotomella* Stainton, 1869 (Coleophoridae) *calycotomella* Stainton, 1869; *sarothamni* Rössler, 1877; *oranella* Toll, 1952; *afra* Toll, 1952; *paraobviella* Toll, 1961 01 27 33
- 56) *Coleophora conyzae* Zeller, 1868 (Coleophoridae) *conyzae* Zeller, 1868; *angustilinea* Toll, 1962; *mellechella* Toll, 1962; *vicolii* Nemeş, 2003 33
- 57) *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae) *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942 01 06 12 33
- 58) *Coleophora etrusca* Baldizzone, 1990 (Coleophoridae) *etrusca* Baldizzone, 1990 06 23 33
- 59) *Coleophora granulosea* Staudinger, 1880 (Coleophoridae) *granulosea* Staudinger, 1880 05 06 33 42
- 60) *Coleophora kroneella* Fuchs, 1899 (Coleophoridae) *kroneella* Fuchs, 1899 33 58
- 61) *Coleophora lassella* Staudinger, 1859 (Coleophoridae) *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942 01 12 33 34 41
- 62) *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) *ochripennella* Zeller, 1849 14 33 61
- 63) *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *psudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemeş, 2003 05 06 23 25 33 38 42 44 45 50 51 58 71
- 64) *Coleophora ornatipennella* (Hübner, 1796) (Coleophoridae) *ornatipennella* Hübner, 1796; *#agrammella* Rebel, 1935. 05 14 16 33 42 46 76
- 65) *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968. 06 33 42
- 66) *Coleophora pennella* ([Denis & Schiffermüller], 1775) (Coleophoridae) *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* Villers, 1789; *onosmella* Brahm, 1791; *struthionipennella* Hübner, 1796; *cornuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971 05 06 16 29 33 46 50 58
- 67) *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) *phlomidis* Stainton, 1867 05 06 12 23 33 42 46 58
- 68) *Coleophora propinqua* Staudinger, 1880 (Coleophoridae) *propinqua* Staudinger, 1880 06 33 51
- 69) *Coleophora quikushella* Toll, 1959 (Coleophoridae) *quikushella* Toll, 1959 06 33 42 51 58 71
- 70) *Coleophora sarehma* Toll, 1956 (Coleophoridae) *sarehma* Toll, 1956; *exasperatella* Toll, 1957 33
- 71) *Coleophora serpylletorum* Hering, 1889 (Coleophoridae) *serpylletorum* Hering, 1889; *assisti* Nemeş, 2003 06 14 25 33 38 42 50 58
- 72) *Coleophora taurica* Baldizzone, 1994 (Coleophoridae) *taurica* Baldizzone, 1994 33
- 73) *Coleophora tauricella* Staudinger, 1880 (Coleophoridae) *tauricella* Staudinger, 1880; *skopusella* Amsel, 1935; *kurdistanella* Amsel, 1955. 06 33 41
- 74) *Coleophora versurella* Zeller, 1849 (Coleophoridae) *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965 07 33
- 75) *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) *zelleriella* Heinemann, 1854 33 42
- 76) *Alloclita deprinsi* Koster & Sinev, 2003 (Cosmopterigidae) *deprinsi* Koster & Sinev, 2003 33
- 77) *Allotalanta autophaea* Meyrick, 1913 (Cosmopterigidae) *autophaea* Meyrick, 1913 33
- 78) *Ascalenia vanelloides* Gerasimov, 1930 (Cosmopterigidae) *vanelloides* Gerasimov, 1930; *#eremella* Amsel, 1933; *eremella* Amsel, 1935. 33
- 79) *Sorhagenia fibigeri* Koster & Sinev, 2003 (Cosmopterigidae) *fibigeri* Koster & Sinev, 2003 33 50
- 80) *Sorhagenia taurensis* Koster & Sinev, 2003 (Cosmopterigidae) *taurensis* Koster & Sinev, 2003 33
- 81) *Vulcaniella anatolica* Koster & Sinev, 2003 (Cosmopterigidae) *anatolica* Koster & Sinev, 2003 33
- 82) *Cossus funkei* (Röber, 1896) (Cossidae) *funkei* Röber, 1896 33
- 83) *Dieida ledereri* Staudinger, 1871 (Cossidae) *ledereri* Staudinger, 1871 0 30 33 46
- 84) *Dyspessa emilia* (Staudinger, 1879) (Cossidae) *emilia* Staudinger, 1879 01 05 06 07 19 33 42 50 58
- 85) *Dyspessa salicicola* (Eversmann, 1848) (Cossidae) *salicicola* Eversmann, 1848 04 06 17 22 33 36 39 76
- 86) *Dyspessa ulula* (Borkhausen, 1790) (Cossidae) *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 *nec* Roth., 1912. 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 87) *Dyspessacossus fereidun* Groum-Grshimailo, 1895 (Cossidae) *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937. 30 31 33 46 65
- 88) *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae) *bipunctatum* Staudinger, 1887 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73
- 89) *Parahypopta caestrum* (Hübner, [1808]) (Cossidae) *caestrum* Hübner, [1808]; *teredo* Boisduval, 1829; *radoti* Homberg, 1911; *nigrosignatus* Rothschild, 1912. 03 07 22 33
- 90) *Phragmacossia albida* (Erschoff, 1874) (Cossidae) *albida* Erschoff, 1874 05 24 25 30 33 35 36 38 46 58 71
- 91) *Stygioides colchica* (Herrich-Schäffer, [1851]) (Cossidae) *colchica* Herrich-Schäffer, [1851] 05 06 07 33 46
- 92) *Amata aequipuncta* (Turati, 1917) (Ctenuchidae) *aequipuncta* Turati, 1917 01 05 31 32 33 36 46 51 58
- 93) *Amata antiochena* Lederer, 1861 (Ctenuchidae) *antiochena* Lederer, 1861 31 33
- 94) *Amata rossica* (Turati, 1917) (Ctenuchidae) *#nigricornis* Alpheraky, 1883; *rossica* Turati, 1917; *anatolica* Zerny, 1931; *bithynica* Schwingenschuss, 1940; *#osthelderi* Obratsov, 1966 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 95) *Dysauxes famula* (Freyer, 1836) (Ctenuchidae) *famula* Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *kaschmirensis* Rothschild, 1910; *semidiaphana* Stauder, 1921; *herthina* Stauder, 1921; *burgeffii* Draudt, 1931; *pseudoservula* Naufock, 1933; *pontica* Friese, 1959; *softata* De Laever, 1983; *lucana* De Laever, 1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 96) *Danaus (Anosia) chrysippus* (Linnaeus, 1758) (Danaiidae) *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759 01 07 20 21 23 33 35 46 48
- 97) *Tinagma ocnorostomellum* (Stainton, 1850) (Douglasiidae) *ocnorostomellum* Stainton, 1850; *echii* Herrich-Schäffer, 1854. 05 06 16 33
- 98) *Cilix asiatica* A. Bang-Haas, 1907 (Drepanidae) *asiatica* A. Bang-Haas, 1907; *depalpata* Strand, 1913 05 06 07 10 12 17 30 33 36 42 45 46 47 50 58 65 71 73
- 99) *Cilix glaucata* (Scopoli, 1763) (Drepanidae) *glaucata* Scopoli, 1763; *modesta* Müller, 1764; *ruffa* Linnaeus, 1766; *spinula* [Denis & Schiffermüller], 1775; *candidula* [Denis & Schiffermüller], 1775; *compressa* Fabricius, 1777 06 14 17 32 33 42 64
- 100) *Watsonalla uncinula* (Borkhausen, 1790) (Drepanidae) *uncinula* Borkhausen, 1790 07 10 12 30 33
- 101) *Elachista argentella* (Clerck, 1759) (Elachistidae) *argentella* Clerck, 1759 05 06 16 33 42 46
- 102) *Elachista chionella* Mann, 1861 (Elachistidae) *chionella* Mann, 1861 05 33 71
- 103) *Ethmia chrysopyga* (Zeller, 1844) (Ethmiidae) *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910. 05 16 33 42
- 104) *Aroga peperistis* (Meyrick, 1926) (Gelechiidae) *peperistis* Meyrick, 1926 33
- 105) *Bryotropha arabica* Amsel, 1952 (Gelechiidae) *arabica* Amsel, 1952 05 06 15 23 26 33 42 44 46 47 63 71
- 106) *Bryotropha azovica* Bidzilya, 1996 (Gelechiidae) *azovica* Bidzilya, 1996 16 41 33 63 77
- 107) *Carpatolechia humeralis* (Zeller, 1839) (Gelechiidae) *decorella* Haworth, 1812 *nec* Hübner, [1810]; *humeralis* Zeller, 1839; *lyellella* Humpreys & Westwood, 1845; *incretella* Duponchel, [1854]; *pisticella* Nowicki, 1860; *scabra* Staudinger, 1870; *erschoffii* Frey, 1880; *buckwelli* Lucas, 1956; *dumitrescui* Capuse, 1964. 16 33 35
- 108) *Inotica gaesata* Meyrick, 1913 (Gelechiidae) *gaesata* Meyrick, 1913 33
- 109) *Istrianis femoralis* (Staudinger, 1876) (Gelechiidae) *femoralis* Staudinger, 1876; *comendonella* Staudinger, 1879; *gravosensis* Rebel, 1937; *angustipennis* Rebel, 1941; *funebrella* Rebel, 1941. 06 33 46
- 110) *Metzneria aprilella* (Herrich-Schäffer, [1854]) (Gelechiidae) *aprilella* Herrich-Schäffer, [1854] 05 06 16 33 42 46
- 111) *Mirificarma* (s.str. (s.str.)) *eburnella* ([Denis & Schiffermüller], 1775) (Gelechiidae) *eburnella* [Denis & Schiffermüller], 1775; *formosella* Hübner, 1796 *nec* [Denis & Schiffermüller], 1775; *flammella* Hübner, [1825]; *rufeoformosella* Bruand, 1859. 16 33

- 112) *Ornativulva mixolitha* (Meyrick,1918) (Gelechiidae) *mixolitha* Meyrick,1918 06 33 71
- 113) *Ornativulva ornatella* Sattler,1967 (Gelechiidae) *ornatella* Sattler,1967 33
- 114) *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847. 05 06 16 33 35 46 76
- 115) *Stomopteryx deterrella* (Zeller,1847) (Gelechiidae) *deterrella* Zeller,1847 05 06 16 33 42 45 46 65 71 76
- 116) *Syncopacma captivella* (Herrich-Schäffer,[1854]) (Gelechiidae) *captivella* Herrich-Schäffer,[1854] 33 46
- 117) *Telphusa comedonella* (Staudinger,1880) (Gelechiidae) *comendonella* Staudinger,1880 33
- 118) *Telphusa mersinella* (Staudinger,1879) (Gelechiidae) *mersinella* Staudinger,1879 33
- 119) *Xenolechia pseudovulgella* Huemer & Karsholt,1999 (Gelechiidae) *pseudovulgella* Huemer & Karsholt,1999 01 33 35
- 120) *Aplasta ononaria* (Fuessly,1783) (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaparia* Hübner,1793; *sudataria* Hübner,[1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
- 121) *Aplocera annexata* (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 122) *Aplocera fraternata* (Herrich-Schäffer,1861) (Geometridae) *fraternata* Herrich-Schäffer,1861 16 33 42 46 51
- 123) *Aplocera musculata* (Staudinger,1892) (Geometridae) *musculata* Staudinger,1892 05 23 28 33 38 44 46 51
- 124) *Aplocera plagiata* (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 125) *Ascotis selenaria* ([Denis & Schiffermüller],1775) (Geometridae) *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#seleneris* Okyar & Aytac,1999 05 10 14 16 17 22 31 33 34 45 46
- 126) *Aspitates ochrearia* (Rossi,1794) (Geometridae) *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 05 06 16 17 22 31 33 34 39 41 45 46 59 64 71 79
- 127) *Biston strataria* (Hufnagel,1767) (Geometridae) *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913 05 33 34 42
- 128) *Campogramma bilineatum* (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65
- 129) *Casilda antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. 06 07 16 33 42
- 130) *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. 05 06 14 16 22 31 33 34 42 46 50 65 71
- 131) *Chloroclysta siterata* (Hufnagel,1767) (Geometridae) *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840 33 46 65
- 132) *Colotois pennaria* (Linnaeus,1761) (Geometridae) *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809 05 06 13 22 33 34
- 133) *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840 01 05 06 14 16 22 33 34 35 59 61
- 134) *Cyclophora pupillaria* (Hübner,[1799]) (Geometridae) *pupillaria* Hübner,[1799]. 06 07 14 16 17 31 33 34 42 45 46 58
- 135) *Dascyorsa modesta* (Staudinger,1879) (Geometridae) *modesta* Staudinger,1879 05 14 17 22 31 33 39 42 46 56 59 65 71
- 136) *Ematurga atomaria* (Linnaeus,1758) (Geometridae) *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926. 05 06 11 14 16 22 33 34 37 39 41 45 52 54 58 67
- 137) *Ennomis (Deuteronomus) quercarius* (Hübner,[1813]) (Geometridae) *quercaria* Hübner,[1813] 05 33 34 42
- 138) *Erannis declinans* (Staudinger,1879) (Geometridae) *declinans* Staudinger,1879. 05 33 46
- 139) *Eulithis roessleraria* (Staudinger,1871) (Geometridae) *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939. 01 33 42 46
- 140) *Eupithecia cerussaria* (Lederer,1855) (Geometridae) *cerussaria* Lederer,1855 33 35 42 46
- 141) *Eupithecia distinctaria* (Herrich-Schäffer,[1848]) (Geometridae) *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954 07 33 42 46 65
- 142) *Eupithecia extremata* (Fabricius,1787) (Geometridae) *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977. 06 31 32 33 35 42 45 46 65
- 143) *Eupithecia nigritaria* (Staudinger,1879) (Geometridae) *nigritaria* Staudinger,1879 33 42
- 144) *Eupithecia novata* Dietze,1903 (Geometridae) *novata* Dietze,1903 33
- 145) *Hylaea fasciaria* (Linnaeus,1758) (Geometridae) *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *bilosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993 06 14 17 22 33 59
- 146) *Hyposcotis (Euchrognophos) subtaurica* (Wehrli,1932) (Geometridae) *subtaurica* Wehrli,1932 31 33 46
- 147) *Hyposcotis (Euchrognophos) variegata* (Duponchel,1830) (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932. 05 16 31 33 42 46 65
- 148) *Hyposcotis (Kemtroglyphos) onustaria* (Herrich-Schäffer,[1852]) (Geometridae) *onustaria* Herrich-Schäffer,[1852] 05 14 16 31 33 46 61 67
- 149) *Hyposcotis (Rhopaloglyphos) glaucinaria* (Hübner,[1799]) (Geometridae) *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924 05 33
- 150) *Idaea camparia* (Herrich-Schäffer,[1852]) (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. 01 05 07 16 17 22 30 33 35 45 46 59
- 151) *Idaea consanguinaria* (Lederer,1853) (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929 05 16 17 31 33 34 35 38 42 46
- 152) *Idaea degeneraria* (Hübner,[1799]) (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 05 06 07 16 17 22 31 33 34 39 42 46 58 65 71
- 153) *Idaea determinata* (Staudinger,1876) (Geometridae) *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901. 01 07 22 31 33 39 46 71
- 154) *Idaea distinctaria* (Boisduval,1840) (Geometridae) *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852 01 07 31 33
- 155) *Idaea filicata* (Hübner,[1799]) (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830 05 14 16 17 22 33 34 42 45 46 58 59 65 71
- 156) *Idaea maritima* (Bruand,1846) (Geometridae) *maritima* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 05 06 07 14 16 29 33 34 39 42
- 157) *Idaea moniliata* ([Denis & Schiffermüller],1775) (Geometridae) *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 01 05 06 14 16 22 33 34 39 42
- 158) *Idaea ossicularia* (Lederer,1871) (Geometridae) *ossicularia* Lederer,1871 01 05 07 30 31 33 38 40 42 46 58
- 159) *Idaea ostrinaria* (Hübner,[1813]) (Geometridae) *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. 01 07 16 17 31 33 42 46 59 71
- 160) *Idaea politaria* (Hübner,[1799]) (Geometridae) *politata* Hübner,1793 *nec* Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901 01 05 07 14 16 22 31 33 34 39 45
- 161) *Idaea rufaria* (Hübner,[1799]) (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 05 16 17 22 31 33 34 39 42 58 76

- 162) **Idaea subsericeata** (Haworth,[1809]) (Geometridae) *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 01 05 07 16 17 22 31 33 34 46 59
- 163) **Idaea tineata** (Thierry-Mieg,1911) (Geometridae) *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. 09 31 33 42
- 164) **Idaea trigeminata** (Haworth,[1809]) (Geometridae) *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. 01 05 07 16 17 31 33 34 46 65
- 165) **Idaea troglodytaria** (Herrich-Schäffer,[1852]) (Geometridae) *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939 01 07 09 31 33 46 48
- 166) **Lararannis aurantiaria** (Hübner,[1799]) (Geometridae) *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809 22 33 34 39
- 167) **Ligdia adustata** (Fabricius,1787) (Geometridae) *adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840 05 16 22 33 39 53
- 168) **Ligdia lassulata** (Rogenhofer,1873) (Geometridae) *lassulata* Rogenhofer,1873 14 33 46 71
- 169) **Lycia zonaria** ([Denis & Schiffermüller],1775) (Geometridae) *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787 33
- 170) **Lythria purpuraria** (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 171) **Minoa murinata** (Scopoli,1763) (Geometridae) *murinata* Scopoli,1763; *sordidata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969 05 16 17 33 34 39
- 172) **Nebula schneideraria** (Lederer,1855) (Geometridae) *schneideraria* Lederer,1855; *taurica* Staudinger,1901. 17 33 39 59
- 173) **Nychiodes (Eunychiodes) amygdalaria** (Herrich-Schäffer,[1848]) (Geometridae) *amygdalaria* Herrich-Schäffer,[1848] 06 16 21 31 33 44 45 46
- 174) **Nychiodes (s.str.) obscuraria** (Villers,1789) (Geometridae) *obscuraria* Villers,1789; *lividaria* Hübner,[1799]. 05 16 17 21 22 31 33 39 45 65
- 175) **Odezia atrata** (Linnaeus,1758) (Geometridae) *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887 05 06 29 33 36 42 60 65 71
- 176) **Orthonama obstipata** (Fabricius,1794) (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 05 06 07 14 16 17 22 31 33 34 42 46 65 71
- 177) **Orthostixis cribraria** (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799]. 05 06 16 17 31 33 42 46 65
- 178) **Oulobophora externata** Freyer,1846 (Geometridae) *externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrca* Wehrli,1934. 05 16 31 33 34 35 42 46 56 65
- 179) **Oulobophora internata** (Püngeler,1888) (Geometridae) *internata* Püngeler,1888 07 17 30 32 33
- 180) **Pelurga comitata** (Linnaeus,1758) (Geometridae) *comitata* Linnaeus,1758 33
- 181) **Perconia strigillaria** (Hübner,1787) (Geometridae) *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpetaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953 05 06 14 16 17 22 31 33 34 52 59
- 182) **Peribatodes inaequalis** (Goeze,1781) (Geometridae) *rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichmusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syritaurica* Wehrli,1931 05 16 17 22 31 33 34 36 42 45 46 59 65
- 183) **Phaigramma etruscaria** (Zeller,1849) (Geometridae) *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinisensis* Fuchs,1903. 05 16 17 31 33 39 42 46 65
- 184) **Philereme transversata** (Hufnagel,1767) (Geometridae) *transversata* Hufnagel,1767; *rhannata* [Denis & Schiffermüller],1775. 05 06 16 33 38 46 71
- 185) **Problepsis ocellata** (Frivaldszky,1845) (Geometridae) *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858] 01 07 31 33 35 46 48
- 186) **Proteuchloris neriaria** (Herrich-Schäffer,[1852]) (Geometridae) *neriaria* Herrich-Schäffer,[1852]. 05 14 16 17 31 33 46
- 187) **Protorhoe corollaria** (Herrich-Schäffer,[1848]) (Geometridae) *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935. 01 06 31 33 42 46 50
- 188) **Protorhoe unicata** (Guenée,[1858]) (Geometridae) *unicata* Guenée,[1858] 05 14 31 33 38 42 45 71
- 189) **Pseudopanthera syriacata** (Guenée,1852) (Geometridae) *syriacata* Guenée,1852; *syriacaria* Wiltshire,1958 31 33 44 46 47 65
- 190) **Rhodometra sacraria** (Linnaeus,1767) (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; 01 05 06 07 09 16 17 22 27 33 34 42 45 46 51 58 59 63 65
- 191) **Rhodostrophia discopunctata** Amsel,1935 (Geometridae) *tabidaria* auct. *nec* Zell.,1847; *discopunctata* Amsel,1935 05 06 14 16 17 31 33 38 42 46 50 58 65
- 192) **Scopula flaccidaria** (Zeller,1852) (Geometridae) *flaccidaria* Zeller,1852 01 05 16 22 31 33 39 46 59
- 193) **Scopula immorata** (Linnaeus,1758) (Geometridae) *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 *nec* Hbn.,1790; *fuscata* Fabricius,1794 *nec* Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtilata* Dadd,1911 16 18 33
- 194) **Scopula luridata** (Zeller,1847) (Geometridae) *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855 01 05 07 33 35 38 46 47
- 195) **Scopula minorata** (Boisduval,1833) (Geometridae) *minorata* Boisduval,1833; *ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnayi* D.Lucas,1937. 01 07 33 58
- 196) **Scopula submutata** (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 197) **Scopula turbulentaria** (Staudinger,1870) (Geometridae) *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syritaurica* Wehrli,1934 01 05 07 16 17 31 33 34 35 39 42 45 46
- 198) **Scopula vigilata** (Wagner,1926) (Geometridae) *submutulata* Rebel,1902; *vigilata* L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926 07 31 33
- 199) **Scotopteryx coarctaria** ([Denis & Schiffermüller],1775) (Geometridae) *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809] 01 05 06 14 16 33 36
- 200) **Scotopteryx luridata** (Hufnagel,1767) (Geometridae) *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825] 05 16 33
- 201) **Stueningia poggearia** (Lederer,1855) (Geometridae) *poggearia* Lederer,1855 06 33 46
- 202) **Stueningia wolffi** Hausmann,1993 (Geometridae) *wolffi* Hausmann,1993 07 33 42 46
- 203) **Synopsis sociaria** (Hübner,[1799]) (Geometridae) *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 14 16 17 25 33 34 42 65
- 204) **Tephronia sepiaria** (Hufnagel,1767) (Geometridae) *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *lingalata* Millièr,1873 33 38 42
- 205) **Thalera fimbrialis** (Scopoli,1763) (Geometridae) *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75

- 206) **Timandra comae** Schmidt,1931 (Geometridae) *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994 01 05 08 16 22 33 34 39 42 53 55 58 59
- 207) **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 05 06 14 16 17 22 33 34 39 42 46 51 58
- 208) **Polymitia eximipalpella** (Gerasimov,1930) (Gracillariidae) *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935 33
- 209) **Carcharodus** (Lavatheria) *lavatherae* (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australis* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 210) **Carcharodus** (Reverdinus) *orientalis* Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 211) **Carcharodus** (s.str.) *alceae* (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 212) **Erynnis** (Hesperopegasus) *marloyi* (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 213) **Erynnis** (s.str.) *tages* (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 214) **Gegenes nostrodamus** (Fabricius,1793) (Hesperiidae) *nostrodamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegna* Verity,1940. 01 02 07 09 16 17 24 27 33 34 35 45 46 59 63
- 215) **Gegenes pumilio** (Hoffmannsegg,1804) (Hesperiidae) *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 nec Fabr.,1775; *aetna* Boisduval,1840; *lefebvreii* Rambur,1842; *monochroa* Rebel,1907. 01 07 09 27 31 33 35 48
- 216) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 217) **Muschampia nomas** (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 218) **Muschampia poggei** (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 219) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaonius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 220) **Muschampia proto** (Ochsenheimer,1808) (Hesperiidae) *proto* Ochsenheimer,1808 01 07 27 33 48 70
- 221) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 222) **Pelopides thrax** (Hübner,[1821]) (Hesperiidae) *thrax* Hübner,[1821]; *midea* Walker,1870 01 07 09 10 31 33 35 46 48
- 223) **Pyrgus armoricus** (Oberthür,1910) (Hesperiidae) *armoricus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 224) **Pyrgus cinarae** (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 225) **Pyrgus melotis** (Duponchel,[1834]) (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 226) **Pyrgus serratae** (Rambur,[1839]) (Hesperiidae) *serratae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 nec Skinn.,1906; *planorum* Verity,1925; *magnagallia* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 227) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 228) **Spialia** (Neospialia) *orbifer* (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 229) **Thymelicus acteon** (Rottemburg,1775) (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aureus* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 230) **Thymelicus hyrax** (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 231) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *jornax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 232) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brännich,1763; *linea* Müller,1764; *thauamas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 233) **Eriogaster catax** (Linnaeus,1758) (Lasiocampidae) *catax* Linnaeus,1758; *lentipes* Esper,1783 33 34
- 234) **Eriogaster ramicola** (Schränk,1802) (Lasiocampidae) *#ramicola* [Denis & Schiffermüller],1775; *ramicola* Schrank,1802 06 13 24 25 33 71
- 235) **Lasiocampa trifolii** (Denis & Schiffermüller,1775) (Lasiocampidae) *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer 01 05 06 10 12 14 19 32 33 35 42 45 46 58 59
- 236) **Malacosoma castrensis** (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 237) **Malacosoma neustrium** (Linnaeus,1758) (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 238) **Pachypasa otus** (Drury,[1773]) (Lasiocampidae) *otus* Drury,[1773] 05 16 33 35 62
- 239) **Phyllodesma tremulifolium** (Hübner,[1810]) (Lasiocampidae) *betulifolium* Ochsenheimer,1810 nec Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 240) **Trichiura crataegi** (Linnaeus,1758) (Lasiocampidae) *crataegi* Linnaeus,1758 05 14 33 46 53
- 241) **Lecithocera anatolica** Gozmany,1978 (Lecithoceridae) *anatolica* Gozmany,1978 33 46
- 242) **Lemonia balcanica** Herrich-Schäffer,[1843] (Lemoniidae) *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931. 08 25 33 36 42 60
- 243) **Libythea** (s.str.) *celtis* (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 244) **Apoda limacodes** (Hufnagel,1766) (Limacodidae) *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct. 05 16 17 33 42 53

- 245) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 246) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britanna* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 247) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 248) **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) *galba* Lederer,1855 01 02 21 31 33
- 249) **Cigaritis acamas (Klug,1834)** (Lycaenidae) *acamas* Klug,1834 01 12 13 21 23 24 27 30 31 33 46 47 62 63 65 73
- 250) **Cigaritis cilissa Lederer,1861** (Lycaenidae) *cilissa* Lederer,1861 01 12 24 27 30 31 33 44 46 48 62 63
- 251) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 252) **Glaucopsyche (Apelles) astraia (Freyer,[1851])** (Lycaenidae) *astraia* Freyer,[1851]; *#astrea* Gerhard,1853 01 05 07 32 33 38 42 44 51 58 60 62 66 70
- 253) **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 254) **Heodes (Loweia) tityrus (Poda,1761)** (Lycaenidae) *tityrus* Poda,1761; *acron* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 255) **Heodes (s.str.) ottomanus (Lefèbvre,[1830])** (Lycaenidae) *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830. 01 07 10 16 31 33 34 48
- 256) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 257) **Iolana lessei Bernardi,1964** (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 258) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 259) **Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 42 44 45 46 48 65 70 71 73 81
- 260) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 261) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 262) **Plebejus (Lycacides) idas (Linnaeus,1761)** (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 263) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 264) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonomus* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 265) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germaniciae* Pfeiffer,1932; *dzhagamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 266) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron* Rottemburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 267) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus* Staudinger,1871 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 268) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] *nec* Frivaldsky,1835; *orpheus* Nekrutenko,1980. 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 269) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 270) **Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998)** (Lycaenidae) *cilicius* Carbonell,1998 03 33 51 70
- 271) **Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)** (Lycaenidae) *sertavulensis* Koçak,1979 07 32 33 42 70
- 272) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 273) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 274) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 275) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 276) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892. 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 277) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri* Forster,1956 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 278) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76

- 279) **Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) eurytilos (Gerhard,[1851])** (Lycaenidae) *eurytilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 280) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 281) **Polyommatus (s.str. (Lysandra)) bellargus (Rottenburg,1775)** (Lycaenidae) *bellargus* Rottenburg,1775; *thetis* Rottenburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *uranica* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 282) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar* Gerhard,[1851] 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 283) **Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) *syriacus* Tutt,1914 01 31 33 46 51
- 284) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 285) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius* Esper,1789 *nec* Rottenburg,1775; *amandus* Schneider,1792 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 286) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 287) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 288) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 289) **Polyommatus (s.str.) icarus (Rottenburg,1775)** (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottenburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 290) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 291) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus* Linnaeus,1758 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 292) **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) *bavius* Eversmann,1832 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 293) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elita* Higgins,1964. 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 294) **Satyrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965. 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 295) **Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis* Esper,[1779] 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 296) **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950. 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 297) **Scolitantides orion (Pallas,1771)** (Lycaenidae) *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943. 05 06 07 08 16 25 27 33 34
- 298) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus* Freyer,[1843] 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 299) **Thersamolycaena (Alciphronia) alciphron (Rottenburg,1775)** (Lycaenidae) *alciphron* Rottenburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 300) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852]. 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 301) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 302) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 303) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 304) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus* Oberthür,1893 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 305) **Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] 01 03 05 06 07 14 18 19 21 23 26 27 32 33 42 46 50 51 55 58 60 62 65 66 71
- 306) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion* Freyer,[1850] 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 307) **Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) *karsandra* Moore,1865 01 21 27 31 33
- 308) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 309) **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) *terebinthi* Freyer,[1838] 01 05 06 07 08 16 30 33 42 46 47 60
- 310) **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) *lapidicola* Herrich-Schäffer,[1852] 01 05 06 07 14 19 23 33 35 36 42 44 46 47 48 50 56 63 65 71 73
- 311) **Ectoedemia (s.str.) caradjai (Hering,1932)** (Nepticulidae) *caradjai* Hering,1932 33
- 312) **Ectoedemia (s.str.) terebinthivora (Klimesch,1975)** (Nepticulidae) *terebinthivora* Klimesch,1975 33

- 313) *Stigmella atricapitella* (Haworth,1828) (Nepticulidae) *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922 01 04 33
- 314) *Stigmella basiguttella* (Heinemann,1862) (Nepticulidae) *basiguttella* Heinemann,1862 01 33
- 315) *Stigmella cocciferae* Nieukerken & Johansson,2003 (Nepticulidae) *cocciferae* Nieukerken & Johansson,2003 06 07 32 33 35 42
- 316) *Stigmella macrolepidella* (Klimesch,1978) (Nepticulidae) *macrolepidella* Klimesch,1978 33
- 317) *Stigmella paliurella* (Klimesch,1940) (Nepticulidae) *paliurella* Klimesch,1940 33
- 318) *Stigmella pyrellicola* Klimesch,1978 (Nepticulidae) *pyrellicola* Klimesch,1978 33
- 319) *Stigmella zangherii* (Klimesch,1951) (Nepticulidae) *zangherii* Klimesch,1951 01 33 42 51
- 320) *Abrostola clarissa* (Staudinger,1900) (Noctuidae) *clarissa* Staudinger,1900 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65 66
- 321) *Acantholipes regularis* (Hübner,[1813]) (Noctuidae) *regularis* Hübner,[1813] 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 322) *Acontia lucida* (Hufnagel,1766) (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. 01 05 06 16 18 23 24 30 33 34 35 41 42 50 51 58 65 71
- 323) *Acontia titania* (Esper,[1798]) (Noctuidae) *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846. 01 05 08 16 17 24 30 33 36 50 58 60 62 65
- 324) *Acronicta* (Subacronicta) *megacephala* (Fabricius,1787) (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 325) *Acronicta* (Triaena) *aceris* (Linnaeus,1758) (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 326) *Acronicta* (Triaena) *psi* (Linnaeus,1758) (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 327) *Acronicta* (Viminia) *rumicis* (Linnaeus,1758) (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 328) *Aedia funesta* (Esper,[1786]) (Noctuidae) *funesta* Esper,[1786] 01 05 08 10 16 17 32 33 35 39 46 48 61
- 329) *Aedophron phlebobphora* Lederer,1858 (Noctuidae) *phlebobphora* Lederer,1858 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 330) *Aegle exquisita* Boursin,1969 (Noctuidae) *exquisita* Boursin,1969 01 33 34
- 331) *Aegle kaekeritziana* (Hübner,[1799]) (Noctuidae) *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816. 17 23 24 33 36 58
- 332) *Aegle semicana* (Esper,[1798]) (Noctuidae) *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938. 01 03 06 13 17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 333) *Agrapha accentifera* (Lefebvre,1827) (Noctuidae) *accentifera* Lefebvre,1827; *l-aureum* Freyer,1831; *accifera* Gaede,1937. 01 07 33
- 334) *Agrochola* (Alpichola) *lactiflora* (Draudt,1934) (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 335) *Agrochola* (Alpichola?) *gratiosa* (Staudinger,1882) (Noctuidae) *gratiosa* Staudinger,1881. 05 06 08 12 33 45 62 70
- 336) *Agrochola* (Anchoscelis) *deleta* (Staudinger,1881) (Noctuidae) *deleta* Staudinger,1881 05 06 08 33 46 64 70
- 337) *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm,[1841]) (Noctuidae) *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953. 05 06 09 13 33 34 46 64 70
- 338) *Agrochola* (Anchoscelis) *nitida* (Fabricius,1787) (Noctuidae) *nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787 06 14 33
- 339) *Agrochola* (Anchoscelis) *osthelderi* Boursin,1951 (Noctuidae) *osthelderi* Boursin,1951 06 31 33 46
- 340) *Agrochola* (Anchoscelis) *rupicapra* (Staudinger,1879) (Noctuidae) *rupicapra* Staudinger,1879 06 33 38 46 50 58 62 63 64
- 341) *Agrochola* (Frivaldskyola) *mansueta* (Herrich-Schäffer,[1850]) (Noctuidae) *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901. 13 23 27 33 35 46 56 63 64 70
- 342) *Agrotis* (Crassagrotis) *bigramma* (Esper,[1790]) (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62 63 65 70
- 343) *Agrotis* (Putagrotis) *puta* (Hübner,[1803]) (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylla* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasi*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958. 01 05 06 07 09 14 15 16 17 18 20 31 33 34 35 46 50 52 55 56 57 63 67 71
- 344) *Agrotis* (Putagrotis) *syricola* Berio,1936 (Noctuidae) *syricola* Corti & Draudt,1933; *syricola* Berio,1936 01 06 07 17 33 42 44 45 46 47 50 56 63
- 345) *Agrotis* (s.str.) *desertorum* Boisduval,1840 (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 346) *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *ne* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 347) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 348) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *scula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 349) *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933. 05 06 08 18 25 33 38 42 46 50 51 52 58 63
- 350) *Amephana dalmatica* (Rebel,1919) (Noctuidae) *dalmatica* Rebel,1919 01 02 05 06 07 20 33 42 50
- 351) *Amphipyra livida* ([Denis & Schiffermüller],1775) (Noctuidae) *livida* [Denis & Schiffermüller],1775 05 08 12 13 30 33 56
- 352) *Amphipyra micans* Lederer,1857 (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 353) *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) *pyramidea* Linnaeus,1758 01 05 06 08 14 16 30 31 33 43 59
- 354) *Amphipyra tragopoginis* (Clerck,1759) (Noctuidae) *tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. 01 05 06 08 09 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65
- 355) *Antarchaea conicephala* (Staudinger,1870) (Noctuidae) *conicephala* Staudinger,1870; *fumicollis* Rogenhofer,1873. 05 08 33 36
- 356) *Antarchaea numisma* (Hübner,[1803]) (Noctuidae) *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. 01 04 05 06 07 18 19 33 38 42 50 70
- 357) *Anthracia eriopoda* (Herrich-Schäffer,[1851]) (Noctuidae) *eriopoda* Herrich-Schäffer,[1851] 09 16 17 33 46 62
- 358) *Antitype jonis* (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70
- 359) *Apamea anceps* ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66
- 360) *Apamea furva* ([Denis & Schiffermüller],1775) (Noctuidae) *furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65

- 361) *Apamea indiges* (Turati,1926) (Noctuidae) *indiges* Turati,1926 01 33
- 362) *Apamea leucodon* (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 363) *Apamea maraschi* (Draudt,1934) (Noctuidae) *maraschi* Draudt,1934 12 21 23 24 27 30 31 33 46 47 56 63 73
- 364) *Apamea monoglypha* (Hufnagel,1766) (Noctuidae) *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17
18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 365) *Apamea platinea* (Treitschke,1825) (Noctuidae) *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 *nec* Staudinger,1889; *touleschkoffi* Koçak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76
- 366) *Apamea sicula* (Turati,1909) (Noctuidae) *sicula* Turati,1909 06 17 31 33 46
- 367) *Apamea syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06
08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 368) *Apoestes spectrum* (Esper,[1787]) (Noctuidae) *spectrum* Esper,[1787] 06 08 16 17 18 33 35
- 369) *Aporophyla australis* (Boisduval,1829) (Noctuidae) *australis* Boisduval,1829 05 06 07 18 27 33 44 46 47 50 56 62 63 70
- 370) *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 01 06 33 46 56 63
- 371) *Armada panaceorum* (Ménétriés,1849) (Noctuidae) *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915. 33 50 63
- 372) *Atethmia centrargo* (Haworth,[1809]) (Noctuidae) *centrargo* Haworth,[1809]. 05 06 33 46 50
- 373) *Auchmis* (s.str.) *detersa* (Esper,[1791]) (Noctuidae) *detersa* Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75
- 374) *Autographa gamma* (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992. 01 03 04
05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 375) *Autophila* (Cheiropheanes) *ligaminosa* (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. 05 06 08 13 14
17 18 25 33 36 42 46 50 65 73
- 376) *Autophila* (s.str.) *asiatica* (Staudinger,1888) (Noctuidae) *asiatica* Staudinger,1888 01 25 30 33 35 36 38 49 50 58
- 377) *Basistriga flammata* ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. 01
04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 378) *Bena bicolorana* (Fuessly,1775) (Noctuidae) *prasinana* auct. *nec* Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *consersa* Warren,1913. 01 05 06 11 17 18 33 39 42 62 73
- 379) *Bryophilopsis roederi* (Standfuss,1892) (Noctuidae) *roederi* Standfuss,1892 07 13 30 31 33 42 47 58 62 65 73
- 380) *Callopietria juvenina* (Stoll,[1782]) (Noctuidae) *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878 08 28 31 33 34 53 55
- 381) *Callopietria latreillei* (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973. 01 03 05 06 07 08 16 32 33 35 42 46 50 51 52
- 382) *Calophasia lunula* (Hufnagel,1766) (Noctuidae) *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. 01 04 05 06 08 14 18 24 25
30 33 36 42 49 50 51 58 65
- 383) *Calophasia platyptera* (Esper,[1788]) (Noctuidae) *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901. 01 05 07 15 16 23 24 31 32 33 46 50 58 66
- 384) *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879) (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08 12 25 29
30 33 36 38 42 44 50 58 61 66 75
- 385) *Caradrina* (Eremodrina) *vicina* (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01 04 06 08 25 33 36 42
46 50 51 58
- 386) *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 387) *Caradrina* (Paradrina) *flavirena* (Guenée,1852) (Noctuidae) *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 01 06 07 08 09 10 17 31 32 33 35 46 51 64
- 388) *Caradrina* (Paradrina) *scotoptera* (Püngeler,1914) (Noctuidae) *scotoptera* Püngeler,1914 01 33 62
- 389) *Caradrina* (Platyperigea) *albina* (Eversmann,1848) (Noctuidae) *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 390) *Caradrina* (Platyperigea) *aspersa* (Rambur,1834) (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. 03
05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 66
- 391) *Caradrina* (Platyperigea) *kadenii* (Freyer,1836) (Noctuidae) *kadenii* Freyer,1836 01 10 18 22 30 33 44 58
- 392) *Caradrina* (s.str.) *agrotina* (Staudinger,1892) (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
05 06 31 33 42 46 62
- 393) *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) *alchymista* [Denis & Schiffermüller],1775 06 07 17 18 30 33 34 39 42 62
65
- 394) *Catocala* (Ephesia) *eutychea* (Treitschke,1835) (Noctuidae) *eutychea* Treitschke,1835; *delicata* Vicent,1913. 01 05 07 10 16 17 20 31 32 33
35 42 45 50
- 395) *Catocala* (Ephesia) *nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]. 01 06 07 16 18 33 35 62
- 396) *Catocala* (Ephesia) *separata* Freyer,1848 (Noctuidae) *separata* Freyer,1848 07 33 42
- 397) *Catocala* (s.str.) *conjuncta* (Esper,[1787]) (Noctuidae) *conjuncta* Esper,[1787] 17 22 33 35
- 398) *Catocala* (s.str.) *conversa* (Esper,1783) (Noctuidae) *conversa* Esper,[1787] 01 06 07 08 11 16 17 22 25 27 30 33 35 42 45 51
- 399) *Catocala* (s.str.) *dilecta* (Hübner,1808) (Noctuidae) *dilecta* Hübner,[1808] 05 06 33
- 400) *Catocala* (s.str.) *disjuncta* (Geyer,[1828]) (Noctuidae) *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884;
fumigata Kuznetsov,1903. 01 05 06 07 08 16 18 31 32 33 35 42 50 62
- 401) *Catocala* (s.str.) *elocata* (Esper,[1787]) (Noctuidae) *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] 01 08 16 17 18 33
38 50 51 56 58 60 63 65
- 402) *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller],1775) (Noctuidae) *#hymenaea* [Denis & Schiffermüller],1775 05 06 07 09 16 33 35
42 50 60 65
- 403) *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae) *nupta* Linnaeus,1767 13 16 33 38 39 46 51 59 65
- 404) *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae) *nymphagoga* Esper,[1787]; *tmolia* Lederer,1865 01 05 06 07 11 12 16 17 30 33 35
39 45 50 62 73
- 405) *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909 01 05 06 08 16 18 19 25 33 42 50 51 58 65
- 406) *Charanyca trigrammica* (Hufnagel,1766) (Noctuidae) *trigrammica* Hufnagel,1766; *asiaminorica* Pinker,1980. 06 33 34
- 407) *Chazaria incarnata* (Freyer,1838) (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24 25 33 34 36 38
39 42 44 45 46 50 51 58 63 65 71
- 408) *Chersotis laeta* (Rebel,1904) (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69
70
- 409) *Chersotis multangula* (Hübner,[1803]) (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66

- 410) **Chersotis semna** (Püngeler,1906) (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 411) **Chersotis zukowskyi** (Draudt,1936) (Noctuidae) *zukowskyi* Draudt,1936 33 38 50 58 70
- 412) **Chilodes maritima** (Tauscher,1806) (Noctuidae) *maritima* Tauscher,1806; *bipunctana* Haworth,1812. 33 42 46 51
- 413) **Chloantha hypericii** (Fabricius,1787) (Noctuidae) *hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 414) **Chrysodeixis chalcites** (Esper,[1789]) (Noctuidae) *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 01 05 07 16 33 56 63
- 415) **Cleoceris scoriacea** (Esper,[1789]) (Noctuidae) *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. 01 05 06 12 25 33 35 36 44 49 70
- 416) **Cleonymia (Serryvania) opposita** (Lederer,1870) (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 417) **Clytie (s.str.) syriaca** (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 418) **Cornutiplusia circumflexa** (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 419) **Cosmia (s.str.) confinis** Herrich-Schäffer,[1849] (Noctuidae) *confinis* Herrich-Schäffer,[1849]; *rhodopsis* Boursin,1962; *phaiopsis* Boursin,1962. 01 05 07 16 17 19 22 30 33 58 60
- 420) **Cryphia (Bryoleuca) petrea** (Guenée,1852) (Noctuidae) *petrea* Guenée,1852 01 04 07 13 30 33 42 46 66
- 421) **Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller],1775) (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 422) **Cryphia (Bryoleuca) ravula** (Hübner,[1813]) (Noctuidae) *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *trogodyta* Freyer,1832. 05 16 33 46 61
- 423) **Cryphia (Bryoleuca) tephrocharis** Boursin,1954 (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 424) **Cryphia (Euthales) algae** (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 425) **Cryphia (Euthales) ochsi** (Boursin,1941) (Noctuidae) *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952 01 05 06 07 08 16 23 28 32 33 42 50 51 55 58 59 62 63 67
- 426) **Cucullia (Shargacucullia) barthae** Boursin,1933 (Noctuidae) *barthae* Boursin,1933 04 06 08 18 25 32 33 42 46 47 50 60 65
- 427) **Cucullia (Shargacucullia) blattariae** (Esper,[1790]) (Noctuidae) *blattariae* Esper,[1790] 05 33 45 47
- 428) **Cucullia (Shargacucullia) lanceolata** (Villers,1789) (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 429) **Cucullia (Shargacucullia) verbasci** (Linnaeus,1758) (Noctuidae) *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. 04 05 06 07 09 15 16 17 18 20 31 33 35 45 50 65
- 430) **Cucullia (s.str.) calendulae** Treitschke,1835 (Noctuidae) *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980. 07 31 33 46
- 431) **Dichagyris (Grysigoga) candelisequa** ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 432) **Dichagyris (Yigoga) forcipula** ([Denis & Schiffermüller],1775) (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 433) **Dichagyris (Yigoga) hackeri** (Fibiger,1992) (Noctuidae) *hackeri* Fibiger,1992 33
- 434) **Dichagyris (Yigoga) nigrescens** (Hofner,1888) (Noctuidae) *nigrescens* Hofner,1888 01 05 06 07 18 20 25 30 32 33 42 45 46 50 65 66
- 435) **Dichagyris (Yigoga) signifera** ([Denis & Schiffermüller],1775) (Noctuidae) *#signifera* [Denis & Schiffermüller],1775 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 436) **Dichagyris (s.str.) erubescens** (Staudinger,1892) (Noctuidae) *erubescens* Staudinger,1892 01 06 24 25 27 33 42 44 46 47 51 58 63
- 437) **Dichagyris (s.str.) forficula** (Eversmann,1851) (Noctuidae) *forficula* Eversmann,1851 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 438) **Dicycla oo** (Linnaeus,1758) (Noctuidae) *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]. 01 05 06 07 08 11 17 18 22 28 30 33 38 39 42 46 56
- 439) **Drasteria cailino** (Lefèbvre,1827) (Noctuidae) *cailino* Lefèbvre,1827 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 440) **Drasteria saisani** (Staudinger,1882) (Noctuidae) *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910. 01 04 06 08 12 25 30 33 36 42 44 47 50 51 58 65 66
- 441) **Dryobotodes (s.str.) carbonis** (Wagner,1931) (Noctuidae) *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. 06 13 33 42 46 56 64
- 442) **Egira tabori** Hreblay,1994 (Noctuidae) *tabori* Hreblay,1994 03 06 07 17 33 34 35 36 42 43 46 58
- 443) **Emmelia trabealis** (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetz,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 444) **Enargia pinkeri** De Freina & Hacker,1985 (Noctuidae) *pinkeri* De Freina & Hacker,1985 01 06 07 18 33 38 42
- 445) **Epilecta linogrisea** ([Denis & Schiffermüller],1775) (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. 01 03 05 06 08 16 17 33 42 46 50 62
- 446) **Eublemma (Glossodice) polygramma** (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 447) **Eublemma (bulla-gr.) pura** (Hübner,[1813]) (Noctuidae) *pura* Hübner,[1813] 33
- 448) **Eublemma (bulla-gr.) suppara** (Staudinger,1892) (Noctuidae) *suppara* Staudinger,1892 01 07 23 31 33 44 46 63
- 449) **Eublemma (ostrina-gr.) ostrina** (Hübner,[1808]) (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973. 01 05 07 08 09 10 16 31 33 35 46 50 51 56 58 60 62 63 64 65 66
- 450) **Eublemma (parva-gr.) parva** (Hübner,[1808]) (Noctuidae) *parva* Hübner,[1808]; *rubefacta* Mabilbe,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. 01 05 08 16 25 33 46 47 50 56 58 63 80
- 451) **Eublemma (ragusana-gr.) ragusana** (Freyer,1844) (Noctuidae) *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894. 07 17 20 31 33 48
- 452) **Eublemma supuncta** (Staudinger,1892) (Noctuidae) *supuncta* Staudinger,1892 01 23 33 40 42 44 46 47 38 50 51 58 65
- 453) **Eucarta amethystina** (Hübner,[1803]) (Noctuidae) *amethystina* Hübner,[1803]; *austera* Warren,1911. 33
- 454) **Euchalcia (s.str.) kautti** Hacker & Ronkay,1992 (Noctuidae) *kautti* Hacker & Ronkay,1992 33
- 455) **Eugnorisma (Metagnorisma) pontica** (Staudinger,1892) (Noctuidae) *pontica* Staudinger,1892 05 06 08 12 18 23 25 30 33 50 62 65 66

- 456) **Eulocastra diaphora** (Staudinger,1879) (Noctuidae) *diaphora* Staudinger,1879; *triangularis* Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 457) **Eupsilia transversa** (Hufnagel,1766) (Noctuidae) *transversa* Hufnagel,1766 07 14 24 33
- 458) **Eutelia adulatrix** (Hübner,[1813]) (Noctuidae) *adulatrix* Hübner,[1813] 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 459) **Euxoa (s.str.) conspicua** (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abditia* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 460) **Euxoa (s.str.) temera** (Hübner,[1808]) (Noctuidae) *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937. 01 05 06 25 33 42 46 50 58 59 60 65 70 71
- 461) **Grammodes bifasciata** (Petagna,1786) (Noctuidae) *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,[1803]. 01 07 16 33 53
- 462) **Grammodes stolidia** (Fabricius,1775) (Noctuidae) *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869. 01 05 06 07 08 16 18 33 39 62 65
- 463) **Hadena (Anepia) perplexa** ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 464) **Hadena (Anepia) sancta** (Staudinger,1859) (Noctuidae) *sancta* Staudinger,1859 01 31 33 46
- 465) **Hadena (Anepia) silenes** (Hübner,[1822]) (Noctuidae) *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850]. 01 02 06 18 21 25 31 33 34 38 46 47 50 63
- 466) **Hadena (Enterpia) laudeti** (Boisduval,1840) (Noctuidae) *laudeti* Boisduval,1840 01 04 05 30 33 35 36 42 44 46 50 51 58 60 63 65 70
- 467) **Hadena (Maschukia) pumila** (Staudinger,1879) (Noctuidae) *pumila* Staudinger,1879 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 468) **Hadena (Pinkercola) tephroleuca** (Boisduval,1833) (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 469) **Hadena (s.str.(Albimaculia)) adriana** (Schawerda,1921) (Noctuidae) *adriana* Schawerda,1921 01 07 16 33 63 66
- 470) **Hadena (s.str.(Albimaculia)) albimacula** (Borkhausen,1792) (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 471) **Hadena (s.str.(Albimaculia)) guenei** (Staudinger,1901) (Noctuidae) *guenei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 472) **Hadena (s.str.(Albimaculia)) humilis** (Christoph,1893) (Noctuidae) *humilis* Christoph,1893; *stenoptera* Rebel,1933. 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 473) **Hadena (s.str.(Clarhadena)) drenowski** (Rebel,1930) (Noctuidae) *drenowski* Rebel,1930. 01 04 08 12 25 30 33 36 40 42 50 51 58
- 474) **Hadena (s.str.(Dianthoecia)) impressa** (Esper,[1790]) (Noctuidae) *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65
- 475) **Hadena (s.str.(Filograna)) filograna** (Esper,[1788]) (Noctuidae) *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. 05 06 08 25 33 36 50 51 60 65
- 476) **Hadena (s.str.(Luteocincta)) wehrlii** (Draudt,1934) (Noctuidae) *wehrlii* Draudt,1934 08 18 24 25 29 33 36 50 58 65
- 477) **Hadena (s.str.(Magnoliuhadena)) magnolii** (Boisduval,1828) (Noctuidae) *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 478) **Hadena (s.str.(Montanohadena)) virescens** Hacker,1996 (Noctuidae) *virescens* Hacker,1996 04 06 24 25 30 33 36 50 58 60 65
- 479) **Hadena (s.str.(Zetoolyga)) confusa** (Hufnagel,1766) (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 480) **Hadula (Calocestra (Hadumendax)) hoplites** (Staudinger,1901) (Noctuidae) *hoplites* Staudinger,1901 01 07 32 33 42 51 76
- 481) **Hadula (Calocestra (Hadumendax)) mendax** (Staudinger,1879) (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 482) **Hadula (Calocestra (Hadumendax)) mendica** (Staudinger,[1895]) (Noctuidae) *mendica* Staudinger,[1895]. 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 483) **Hadula (Calocestra (Stigmosea)) stigmosea** (Christoph,1887) (Noctuidae) *stigmosea* Christoph,1887. 06 33 35 36 38 50 58 66
- 484) **Haemerosia renalis** (Hübner,[1813]) (Noctuidae) *renalis* Hübner,[1813] 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 485) **Hecatera bicolorata** (Hufnagel,1766) (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 486) **Hecatera rhodocharis** (Brandt,1938) (Noctuidae) *rhodocharis* Brandt,1938 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 487) **Hecatera spinaciae** (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 488) **Helicoverpa armigera** (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 489) **Heliothobus unicolor** (Alpheraky,1889) (Noctuidae) *unicolor* Alpheraky,1889 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 490) **Heliothis nubigera** Herrich-Schäffer,[1851] (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. 01 04 07 10 18 20 25 33 35 42 46 47 50 51 58
- 491) **Heliothis peltigera** ([Denis & Schiffermüller],1775) (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 492) **Heliothis viriplaca** (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 493) **Hoplodrina ambigua** ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 494) **Hoplodrina superstes** (Ochsenheimer,1816) (Noctuidae) *superstes* Ochsenheimer,1816 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 495) **Hypena munitalis** Mann,1861 (Noctuidae) *munitalis* Mann,1861. 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 496) **Hypena palpalis** (Hübner,1796) (Noctuidae) *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901. 05 08 16 30 33 44 45 50 80
- 497) **Idia calvaria** ([Denis & Schiffermüller],1775) (Noctuidae) *calvaria* [Denis & Schiffermüller],1775 05 07 30 31 33 46 58
- 498) **Lacanobia (s.str.) w-latinum** (Hufnagel,1766) (Noctuidae) *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 499) **Lampra tirrenica** (Biebing, Speidel & Hanigk,1983) (Noctuidae) *tirrenica* Biebing, Speidel & Hanigk,1983 05 06 14 30 33 43 50 57

- 500) **Leucania herrichi** Herrich-Schäffer,[1849] (Noctuidae) *herrichi* Herrich-Schäffer,[1849] 01 05 13 30 33 34 42 44 57
- 501) **Leucania loreyi** (Duponchel,1827) (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 502) **Leucania palaestinae** Staudinger,1897 (Noctuidae) *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; #*obscura* Heydemann *et al.*,1963; #*plastinaea* Konošor & Lödl,1990 01 09 31 33 35 48
- 503) **Luperina testacea** (Denis & Schiffermüller),1775 (Noctuidae) *testacea* [Denis & Schiffermüller],1775 05 33 70
- 504) **Lygephila cracca** (Fabricius,1787) (Noctuidae) #*cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; #*cracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 505) **Lygephila lusoria** (Linnaeus,1758) (Noctuidae) *lusoria* Linnaeus,1758 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 506) **Lygephila lusoria amasina** (Staudinger,1879) (Noctuidae) *amasina* Staudinger,1879; *sublutea* Warren,1913. 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 507) **Macdunnoughia confusa** (Stephens,1850) (Noctuidae) *confusa* Stephens,1850; *gutta* Guenée,1852. 09 14 16 28 30 33 45 80
- 508) **Megalodes eximia** (Freyer,1845) (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 509) **Meganola gigantula** (Staudinger,1879) (Noctuidae) *gigantula* Staudinger,1879 05 06 33 46
- 510) **Meganola togatulalis** (Hübner,1796) (Noctuidae) *togatulalis* Hübner,1796 07 12 33 34 35 45 46
- 511) **Metachrostis dardouini** (Boisduval,1840) (Noctuidae) *dardouini* Boisduval,1840 06 10 13 16 23 30 32 33 50 56 58
- 512) **Metachrostis velocior** (Staudinger,1892) (Noctuidae) *velocior* Staudinger,1892 01 07 33
- 513) **Metachrostis velox** (Hübner,[1813]) (Noctuidae) *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930; *vinacea* De Joannis,1931 10 16 17 33 45
- 514) **Minucia bimaculata** (Osthelder,1933) (Noctuidae) *bimaculata* Osthelder,1933 07 13 30 31 33 42 46 56 63 73
- 515) **Mormo maura** (Linnaeus,1758) (Noctuidae) *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cyprica* Hacker,1996 06 08 30 33 46
- 516) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 517) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisesens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 518) **Mythimna (Hyphilare) albipuncta** (Fabricius,1787) (Noctuidae) #*albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921. 05 14 16 17 24 33 34 36 50 65 66
- 519) **Mythimna (Hyphilare) ferrago** (Fabricius,1787) (Noctuidae) *ferrago* Fabricius,1787; *lythargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 520) **Mythimna (Morphopoliana) languida** (Walker,1858) (Noctuidae) *consanguis* auct. *nec* Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952. 09 33
- 521) **Mythimna (Pseudaletia) unipuncta** (Haworth,[1809]) (Noctuidae) *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974. 01 07 18 22 33 42 50 51 58 70 80
- 522) **Noctua (Divaena) haywardi** (Tams,1926) (Noctuidae) *haywardi* Tams,1926; *balcanica* Slivov,1985 01 05 06 07 14 17 18 22 33 42 43 51 65 66
- 523) **Noctua (Euschesis) interjecta** (Hübner,[1803]) (Noctuidae) *interjecta* Hübner,[1803]. 01 05 14 16 17 22 23 33 39 57 61
- 524) **Noctua (Euschesis) janthina** (Denis & Schiffermüller),1775 (Noctuidae) *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900. 01 05 06 07 16 17 18 30 33 38 39 42 46 60
- 525) **Noctua (Paranoctua) comes** (Hübner,[1813]) (Noctuidae) *orbona* Fabricius,1787 *nec* Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901. 01 05 06 07 08 09 10 16 22 30 31 33 39 42 43 45 46 56
- 526) **Noctua (s.str.) pronuba** (Linnaeus,1758) (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krauss,1912 *nec* Piez.,1908; *decolorata* Turati,1923. 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 527) **Noctua (s.str.) tertia** Mentzer, Moberg & Fibiger,1991 (Noctuidae) *tertia* Mentzer, Moberg & Fibiger,1991 01 03 05 08 27 30 33 42 50
- 528) **Nola chlamitulalis** (Hübner,[1813]) (Noctuidae) *chlamitulalis* Hübner,[1813] 07 22 33
- 529) **Nola cicatricalis** (Treitschke,1835) (Noctuidae) *cicatricalis* Treitschke,1835 06 07 11 17 30 31 33 34 43 46
- 530) **Nycteola columbana** (Turner,1925) (Noctuidae) *columbana* Thurner,1925; *gallicana* Aubert,1957; #*apicistrigata* Dufay,1958. 07 31 33 42
- 531) **Nycteola revayana** (Scopoli,1772) (Noctuidae) *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 *nec* Hbn.,1787 07 33 46 56
- 532) **Ochropleura plecta** (Linnaeus,1761) (Noctuidae) *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942. 08 09 25 28 30 33 36 55 58 61 65
- 533) **Odice arcuinna** (Hübner,1790) (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 534) **Odice kuelekana** (Staudinger,1871) (Noctuidae) *kuelekana* Staudinger,1871 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 535) **Oligia latruncula** (Denis & Schiffermüller),1775 (Noctuidae) *latruncula* [Denis & Schiffermüller],1775 06 17 25 32 33 35 39 41 42 46 50 66
- 536) **Olivenebula subsericata** (Herrich-Schäffer,1861) (Noctuidae) *subsericata* Herrich-Schäffer,1861; #*elisabethae* De Lattin,1951; *bobitsi* Beck,1996. 03 05 08 16 17 18 33 34 35 42 46 50 58
- 537) **Omphalophana anatolica** (Lederer,1857) (Noctuidae) *anatolica* Lederer,1857 07 16 20 33 35 65
- 538) **Omphalophana antirrhinii** (Hübner,[1803]) (Noctuidae) *antirrhinii* Hübner,[1803] 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 539) **Ophiusa lunaris** (Goeze,1781) (Noctuidae) #*lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsipulmalis* Hübner,1796; *chosensis* Bryk,1949. 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 540) **Ophiusa tirhaca** (Cramer,[1777]) (Noctuidae) *tirhaca* Cramer,[1777]; #*tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; #*demarginata* Heydemann *et al.*,1963; *obscura* Pinker & Bacallado,1978 01 05 06 07 16 33
- 541) **Oria musculosa** (Hübner,[1808]) (Noctuidae) *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. 05 06 07 15 18 19 22 25 32 33 38 42 45 46 50 51 58 66
- 542) **Orthosia (Dioszeghyana) schmidtii** (Diószeghy,1935) (Noctuidae) *schmidtii* Diószeghy,1935 02 06 07 16 33
- 543) **Orthosia (Monima) dalmatica** (Wagner,1909) (Noctuidae) *dalmatica* Wagner,1909 07 09 15 16 31 33 44 49 50 58
- 544) **Orthosia rubricosa** (Esper,[1786]) (Noctuidae) #*miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. 05 06 07 09 11 13 17 30 33 43 46 56 58 62 63
- 545) **Parallelia algira** (Linnaeus,1767) (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912 01 05 07 08 10 16 17 18 22 28 30 31 33 34 35 39 40 42 45 50 52 61 62 65
- 546) **Parallelia torrida** (Guenée,1852) (Noctuidae) *torrida* Guenée,1852; #*zorrida* Hacker,[1987] 01 07 20 27 30 31 33 35 50
- 547) **Parascotia detersa** (Staudinger,1892) (Noctuidae) *detersa* Staudinger,1892 01 07 13 17 31 33

- 548) *Parascotia robiginosa* (Staudinger,1892) (Noctuidae) *robiginosa* Staudinger,1892 01 05 06 07 33 42 46 62
- 549) *Parexarnis taurica* (Staudinger,1879) (Noctuidae) *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. 23 24 25 33 36 38 42 44 50 51 65 66
- 550) *Pericyma albidentaria* (Freyer,1842) (Noctuidae) *albidentaria* Freyer,1842 06 09 19 23 33 35 36 42 44 50 56 58 66
- 551) *Pericyma squalens* Lederer,1855 (Noctuidae) *squalens* Lederer,1855 01 06 23 33 63
- 552) *Peridroma saucia* (Hübner,[1808]) (Noctuidae) *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 70 80
- 553) *Perigrapha* (Opacographa) (Turcographa) *rorida* (Frivaldsky,1835) (Noctuidae) *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990 01 05 06 07 09 15 16 17 31 32 33 35 43 45 46 56 62
- 554) *Perigrapha* (Opacographa) (s.str.) *cilissa* Püngeler,1917 (Noctuidae) *cilissa* Püngeler,1917 23 33 44 58
- 555) *Periphanes victorina* (Sodoffsky,1849) (Noctuidae) *victorina* Sodoffsky,1849 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 556) *Phlogophora meticulosa* (Linnaeus,1758) (Noctuidae) *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 05 06 07 14 16 18 24 25 33 34 38 46 50 51 56 58 65
- 557) *Phytometra viridaria* (Clerck,1759) (Noctuidae) *viridaria* Clerck,1759 05 07 08 11 16 22 25 32 33 39 42 50 54 58 59 60
- 558) *Plecoptera inquinata* (Lederer,1857) (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 01 07 08 13 30 33 42 46
- 559) *Plusia festucae* (Linnaeus,1758) (Noctuidae) *festucae* Linnaeus,1758 05 06 13 33 42 49 65
- 560) *Polia sagittigera* (Hufnagel,1766) (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *rapida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. 01 06 16 18 25 33 42 46 49 50 51 60 61 65
- 561) *Polymixis* (Bischoffia) *bischoffi* (Herrich-Schäffer,1850) (Noctuidae) *bischoffi* Herrich-Schäffer,[1850] 05 31 33 34 46 63
- 562) *Polymixis* (Serpimixis) *serpentina* (Treitschke,1825) (Noctuidae) *serpentina* Treitschke,1825 01 05 33 46 63
- 563) *Polymixis* (s.str.) *manisadjiani* (Staudinger,1881) (Noctuidae) *manisadjiani* Staudinger,1881 05 06 08 33 42 44 46 50 51 58 62
- 564) *Polypaenis viridis* (De Villers,1789) (Noctuidae) *sericata* Esper,[1787] *nec* ; *viridis* De Villers,1789. 05 06 17 33 48
- 565) *Polypogon plumigeralis* (Hübner,[1825]) (Noctuidae) *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. 01 05 07 08 16 33 41 46 48
- 566) *Pseudenargia regina* (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 567) *Pseudeustrotia candidula* ([Denis & Schiffermüller],1775) (Noctuidae) *candidula* [Denis & Schiffermüller],1775 06 16 33 58
- 568) *Pyrois effusa* (Boisduval,1828) (Noctuidae) *effusa* Boisduval,1828; *sciaphila* Staudinger,1871 20 35 33 42 46 48 51
- 569) *Pyrrhia treitschkii* (Frivaldsky,1835) (Noctuidae) *treitschkii* Frivaldsky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 570) *Pyrrhia umbra* (Hufnagel,1766) (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 571) *Rhyacia* (s.str.) *arenacea* (Hampson,1907) (Noctuidae) *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929. 06 18 25 32 33 38 50 51 58 66
- 572) *Rhyacia* (s.str.) *helvetina* (Boisduval,1833) (Noctuidae) *helvetina* Boisduval,1833; *livia* Freyer,1836 04 25 27 33 36 38 42 51 58 65 68
- 573) *Rhyacia* (s.str.) *simulans* (Hufnagel,1766) (Noctuidae) *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914 17 22 33 46 50 58
- 574) *Sesamia cretica* Lederer,1857 (Noctuidae) *cretica* Lederer,1857 02 07 20 23 31 33 35 46 48 63
- 575) *Sesamia nonagrioides* (Lefèbvre,1827) (Noctuidae) *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898. 01 07 33
- 576) *Sideridis* (Luteohadena) *luteago* ([Denis & Schiffermüller],1775) (Noctuidae) *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990. 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 577) *Simyra dentinosa* Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 578) *Spaelotis senna* (Freyer,1829) (Noctuidae) *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 04 06 18 19 24 25 30 33 42 50 51 58 66
- 579) *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 580) *Spodoptera littoralis* (Boisduval,1833) (Noctuidae) *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911. 07 31 33
- 581) *Spudaea castanea* Osthelder,1933 (Noctuidae) *castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968 05 06 07 09 11 15 31 33 46 58 62
- 582) *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65 66 69
- 583) *Teinoptera olivina* (Herrich-Schäffer,[1852]) (Noctuidae) *olivina* Herrich-Schäffer,[1852] 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 584) *Thria robusta* Walker,[1858] (Noctuidae) *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988 07 23 30 33 50 58 63 65
- 585) *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775) (Noctuidae) *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. 07 13 33
- 586) *Trachea atriplicis* (Linnaeus,1758) (Noctuidae) *atriplicis* Linnaeus,1758 06 07 14 16 28 33 34
- 587) *Trichoplusia circumscripta* (Freyer,1831) (Noctuidae) *circumscripta* Freyer,1831 07 33
- 588) *Trichoplusia ni* (Hübner,[1803]) (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. 01 05 06 07 08 11 16 17 18 33 46 48 50 51 56 58 65
- 589) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 590) *Xanthothrix callicore* (Staudinger,1871) (Noctuidae) *callicore* Staudinger,1871 05 33 07
- 591) *Xestia* (s.str.) *palaestinis* (Kalchberg,1898) (Noctuidae) *palaestinis* Kalchberg,1898. 17 23 33 44 45 46 57 63
- 592) *Xylena exsoleta* (Linnaeus,1758) (Noctuidae) *exsoleta* Linnaeus,1758; *exsoleta* Fabricius,1787 01 05 06 09 15 26 33 36 45 46 66
- 593) *Xyllocampa mustapha* (Oberthür,1920) (Noctuidae) *mustapha* Oberthür,1920 06 07 09 15 16 32 33 35 46
- 594) *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *spallida* Schawerda,1929; *transcaspica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 595) *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner,[1809]) (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *antiquilis* Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 596) *Zethes insularis* Rambur,1833 (Noctuidae) *insularis* Rambur,1833 05 07 10 14 16 22 31 33 35 42 45 48 63

- 597) **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 598) **Dicranura ulmi (Denis & Schiffermüller,1775)** (Notodontidae) *#ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939. 05 06 16 17 21 32 33 42 43 71
- 599) **Drymonia dodonaea (Linnaeus & Schiffermüller,1775)** (Notodontidae) *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *politawskii* Schintlmeister,1981; *wageneri* De Freina,1981 06 33 46
- 600) **Drymonia oblitterata (Esper,[1785])** (Notodontidae) *oblitterata* Esper,[1785]; *melagona* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981 08 14 33 34 37 53 55 60
- 601) **Drymonia querna (Fabricius,1787)** (Notodontidae) *#querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausalica* Daniel,1968; *meridioitalica* Hartig,1970; *danieli* Hartig,1970 02 06 07 14 17 24 32 33 37 46 73
- 602) **Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803; *concolor* Daniel,1939; *anadolua* De Freina,1983. 05 06 07 10 32 33 34 42 46 71
- 603) **Furcula interrupta Christoph,1867** (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989. 01 05 06 07 12 15 19 26 30 31 33 42 44 46 60 62 71
- 604) **Harpyia milhauseri (Fabricius,1775)** (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 605) **Paradyrmonia vittata (Staudinger,1892)** (Notodontidae) *vittata* Staudinger,1892 01 07 14 30 32 33 46 73
- 606) **Peridea korbi (Rebel,1918)** (Notodontidae) *korbi* Rebel,1918 06 07 17 30 32 33 46 56 60 62 64 65
- 607) **Pheosia tremula (Linnaeus,1761)** (Notodontidae) *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989 06 14 16 24 29 33 36 43 52 60 64
- 608) **Spatalia argentina (Denis & Schiffermüller,1775)** (Notodontidae) *argentina* [Denis & Schiffermüller],1775 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 609) **Agonopterix pavidia (Meyrick,1913)** (Oecophoridae) *pavidia* Meyrick,1913 33
- 610) **Agonopterix rotundella (Douglas,1846)** (Oecophoridae) *rotundella* Douglas,1846 05 16 33
- 611) **Agonopterix xyleuta (Meyrick,1913)** (Oecophoridae) *xyleuta* Meyrick,1913 33
- 612) **Epicallima formosella (Denis & Schiffermüller,1775)** (Oecophoridae) *formosella* [Denis & Schiffermüller],1775 05 06 16 33 46 71 76
- 613) **Pleurota amaniella Mann,1873** (Oecophoridae) *amaniella* Mann,1873 33
- 614) **Pleurota eximia Lederer,1861** (Oecophoridae) *eximia* Lederer,1861; *galaticella* Staudinger,1880 05 06 33 42 76
- 615) **Pleurota issicella Staudinger,1880** (Oecophoridae) *issicella* Staudinger,1880 06 33 65
- 616) **Pleurota tristictella Seebold,1898** (Oecophoridae) *tristictella* Seebold,1898 33
- 617) **Schiffermuelleria schaefferella (Linnaeus,1758)** (Oecophoridae) *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785. 06 33 42 46
- 618) **Archon apollinus (Herbst,1798)** (Papilionidae) *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 619) **Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 620) **Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) *polidamas* De Prunner,1787 *nec* Linnaeus,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 621) **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 622) **Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 623) **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 624) **Zerynthia (Allancastris) cerisyi (Godart,1822)** (Papilionidae) *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eism. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989. 01 06 07 09 10 11 14 15 16 17 22 26 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80
- 625) **Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 626) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 627) **Anthocharis damone Boisduval,1836** (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 628) **Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 629) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 630) **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 631) **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 632) **Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) *#sareptensis* Staudinger,1881; *sareptensis* Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 633) **Colotis (s.str.) faustus (Olivier,[1804])** (Pieridae) *fausta* Olivier,[1804]; *faustina* Felder & Felder,[1865]. 01 12 21 27 30 31 33 42 46 56 63 73 79
- 634) **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) *penia* Freyer,[1852]; *mesopotamica* Baker,1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71

- 635) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 636) **Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) *belemia* Esper,[1800]; *glauce* Freyer,[1848] 01 27 31 33 63
- 637) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920. 01 07 09 17 27 31 33 35 45 46 48 59 63 80
- 638) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 639) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 640) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 641) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 642) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcaea* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 643) **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 644) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 645) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 646) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 647) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 648) **Pontia chloridice (Hübner,[1813])** (Pieridae) *rusciae* Esper,[1784] *nec rusciae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidge* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 649) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 650) **Zegris eupheme (Esper,[1804])** (Pieridae) *eupheme* Esper,[1804]; *erethoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 651) **Bijugis pectinella (Denis & Schiffermüller,1775)** (Psychidae) *pectinella* [Denis & Schiffermüller],1775 16 33
- 652) **Canephora taurica (Wehrli,1932)** (Psychidae) *taurica* Wehrli,1932 01 33 46
- 653) **Canephora villosella (Ochsenheimer,1810)** (Psychidae) *villosella* Ochsenheimer,1810 07 10 33 36 46
- 654) **Megalophanes viciella (Denis & Schiffermüller,1775)** (Psychidae) *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977. 01 06 14 22 25 33 34 36 42 45
- 655) **Melasina punctata (Herrich-Schäffer,1855)** (Psychidae) *punctata* Herrich-Schäffer,[1855] 33 45 53
- 656) **Agdistis (Meridistis) meridionalis (Zeller,1847)** (Pterophoridae) *meridionalis* Zeller,1847; *staticis* Millière,1875; *portlandica* Tutt,1906; *clivicola* Meyrick,1920; *tyrrhenica* Amsel,1952; *prolai* Hartig,1953. 09 33 42
- 657) **Agdistis (s.str.) heydeni (Zeller,1852)** (Pterophoridae) *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920. 06 33
- 658) **Agdistis (s.str.) protai Arenberger,1973** (Pterophoridae) *protai* Arenberger,1973 33
- 659) **Capperia washbourni Adamczewski,1951** (Pterophoridae) *washbourni* Adamczewski,1951 05 06 23 24 25 29 32 33 42 51
- 660) **Crombrugghia distans (Zeller,1847)** (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucaae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61
- 661) **Emmeline monodactyla (Linnaeus,1758)** (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. 05 06 07 09 14 16 23 29 31 33 34 36 38 46 50 59 61
- 662) **Hellinsia inulae (Zeller,1852)** (Pterophoridae) *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992. 09 33 34
- 663) **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 05 06 07 09 14 16 23 29 33 42 46 55 76 77
- 664) **Paracapperia anatolica (Caradja,1920)** (Pterophoridae) *anatolica* Caradja,1920. 05 07 31 33 42 56 58 66 70 71
- 665) **Procapperia kuldschaensis (Rebel,1914)** (Pterophoridae) *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986. 05 33 42
- 666) **Procapperia maculata (Constant,1865)** (Pterophoridae) *maculata* Constant,1865; *croatica* Adamczewski,1951. 05 06 24 33 36 42 58 71
- 667) **Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875)** (Pterophoridae) *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenolata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962. 33 46
- 668) **Tabulaephorus parthicus (Lederer,1870)** (Pterophoridae) *parthicus* Lederer,1870 05 06 23 33 42 46 51 71 76
- 669) **Acrobasis obtusella (Hübner,1796)** (Pyralidae) *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. 01 06 33 42 46
- 670) **Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyralidae) *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961 05 33 76
- 671) **Agriphila deliella (Hübner,[1813])** (Pyralidae) *deliella* Hübner,[1813] 06 42 33 58 70
- 672) **Agriphila tersella (Lederer,1855)** (Pyralidae) *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942. 05 06 33
- 673) **Ancylodes pallens Ragonot,1887** (Pyralidae) *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958. 33
- 674) **Ancylolomia palpella (Denis & Schiffermüller,1775)** (Pyralidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909; *syriaca* Rebel,1911; *gacilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 675) **Asarta ciliciella Staudinger,1879** (Pyralidae) *ciliciella* Staudinger,1879 33

- 676) *Assara turciella* Roesler, 1973 (Pylalidae) *turciella* Roesler, 1973 07 33
- 677) *Bradyrrhoa confiniella* Zeller, 1848 (Pylalidae) *confiniella* Zeller, 1848; *remotella* Mann, 1867; *nubigerella* Ragonot, 1893; *ifraneella* Lucas, 1956; *ebertella* Roesler, 1969 16 33 41 47
- 678) *Catastia marginata* (Denis & Schiffmüller, 1775) (Pylalidae) *marginata* [Denis & Schiffmüller], 1775. 25 33 46 61
- 679) *Catoptria ciliata* (Rebel, 1893) (Pylalidae) *ciliellus* Rebel, 1893; *#silicellus* Ganey, 1996. 08 09 33 53 69
- 680) *Catoptria laevigatella* (Lederer, 1870) (Pylalidae) *laevigatellus* Lederer, 1870; *semicanella* Fuchs, 1903. 01 04 05 33 53 61 76
- 681) *Catoptria pinella* (Linnaeus, 1758) (Pylalidae) *pinella* Linnaeus, 1758; *virginella* Scopoli, 1763. 05 16 33 81
- 682) *Dipleurina lacustrata* (Panzer, 1804) (Pylalidae) *crataegella* sensu Hübner, 1796 nec Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845. 05 33 34 46 76
- 683) *Ematheudes punctellus* (Treitschke, 1833) (Pylalidae) *punctella* Treitschke, 1833 01 05 06 16 27 31 33 34 35 38 42 46 71
- 684) *Emmalocera lucidicostella* Ragonot, 1888 (Pylalidae) *lucidicostella* Ragonot, 1888 33
- 685) *Ephelis cruentalis* (Geyer, [1832]) (Pylalidae) *cruentalis* Geyer, [1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 686) *Ephesia* (s.str.) *parasitella* Staudinger, 1859 (Pylalidae) *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955. 03 05 06 13 33 34 42 44 46
- 687) *Epidauria strigosa* (Staudinger, 1879) (Pylalidae) *strigosa* Staudinger, 1879 05 25 33 42 46 65 71 76
- 688) *Euchromius bellus* (Hübner, 1796) (Pylalidae) *bella* Hübner, 1796; *bellalis* Hübner, [1825]. 05 06 16 26 31 33 35 39 42 46 65 71 76
- 689) *Euchromius gratiosellus* (Caradja, 1910) (Pylalidae) *gratiosella* Caradja, 1910 06 33 42 70 71 76
- 690) *Euchromius jaxartellus* (Erschoff, 1874) (Pylalidae) *jaxartella* Erschoff, 1874 33
- 691) *Euchromius vinculellus* (Zeller, 1847) (Pylalidae) *vinculellus* Zeller, 1847; *corsicalis* Hampson, 1919; *joiceyella* Schmidt, 1934; *bahrutella* Amsel, 1949. 01 07 33 59 65
- 692) *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer, [1848]) (Pylalidae) *splendidalis* Herrich-Schäffer, [1848] 01 05 16 17 31 33 44 46 67
- 693) *Eurhodope* (s.str.) *monogrammos* (Zeller, 1867) (Pylalidae) *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969 01 05 06 16 31 33 42 46 50 71
- 694) *Euzophora* (s.str.) *bigella* (Zeller, 1848) (Pylalidae) *bigella* Zeller, 1848; *stenoptycha* Herrich-Schäffer, 1855; *bisinuella* Ragonot, 1887; *punicaeella* Moore, 1891; *immundella* Ragonot, 1901; *angulella* Chrétien, 1922; *renulella* Constantini, 1922 01 05 06 07 09 16 21 33 34 46 47 65 76
- 695) *Evergestis flavifuscalis* Rebel, 1903 (Pylalidae) *flavifuscalis* Rebel, 1903 33
- 696) *Evergestis sophialis* (Fabricius, 1787) (Pylalidae) *sophialis* Fabricius, 1787; *variegalis* Fabricius, 1787; *sophiae* Fabricius, 1798 14 16 30 33 76
- 697) *Glaucobaris euchromiella* (Ragonot, 1895) (Pylalidae) *euchromiella* Ragonot, 1895; *sinualis* Hampson, 1900; *rebeli* Osthelder, 1941. 31 33 46 65
- 698) *Gymnancyla* (s.str.) *canella* (Denis & Schiffmüller, 1775) (Pylalidae) *canella* [Denis & Schiffmüller], 1775; *depositella* Zincken, 1818; *canellaris* Hübner, [1825]. 05 06 33 42
- 699) *Heliothela wulfeniana* (Scopoli, 1763) (Pylalidae) *wulfeniana* Scopoli, 1763; *atralis* Hübner, 1788 nec Fabr., 1775; *coerulealis* Caradja, 1917; *huebneri* Koçak, 1980. 05 16 31 33 46
- 700) *Mecyna subequalis* (Herrich-Schäffer, 1851) (Pylalidae) *subequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932. 01 05 06 33 42 46 58 65 76
- 701) *Metacrambus carectellus* (Zeller, 1847) (Pylalidae) *carectellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916. 01 03 33 42 46 65 71
- 702) *Nuctelia vespertalis* Herrich-Schäffer, [1855] (Pylalidae) *vespertalis* Herrich-Schäffer, [1855]; *#gilvalis* Zerny, 1914. 01 05 31 33 45 46 55 65
- 703) *Nyctegretis lineana* (Scopoli, 1786) (Pylalidae) *lineana* Scopoli, 1786; *achatinella* Hübner, [1824]. 06 07 16 21 33 34 46 71 76
- 704) *Oxybia transversella* (Duponchel, 1836) (Pylalidae) *transversella* Duponchel, 1836; *bituminella* Millière, 1870; *panorminella* Caradja, 1928. 05 09 16 33 42 46
- 705) *Panastegia limbopunctalis* (Herrich-Schäffer, [1849]) (Pylalidae) *limbopunctalis* Herrich-Schäffer, [1849] 05 06 16 33 38 42 46 58 65
- 706) *Pediasia matricella* (Treitschke, 1832) (Pylalidae) *matricella* Treitschke, 1832; *obscura* Caradja, 1931 01 05 06 33 42 46 50 58 71
- 707) *Polyocha venosa* (Zeller, 1847) (Pylalidae) *venosa* Zeller, 1847 31 33 35 46 48
- 708) *Pyralis regalis* [Denis & Schiffmüller, 1775] (Pylalidae) *regalis* [Denis & Schiffmüller], 1775 06 16 31 33 34 46 65
- 709) *Pyrausta* (Haematia) *despicata* (Scopoli, 1763) (Pylalidae) *despicata* Scopoli, 1763; *cespitis* [Denis & Schiffmüller], 1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 710) *Pyrausta* (Haematia) *sanguinalis* (Linnaeus, 1767) (Pylalidae) *sanguinalis* Linnaeus, 1767; *crentalis* Scriba, 1770; *haematalis* Hübner, [1819] 05 06 07 16 17 30 31 33 34 39 54 69 71
- 711) *Pyrausta* (s.str.) *falcatalis* (Guenée, 1854) (Pylalidae) *falcatalis* Guenée, 1854; *coeciliensis* Walker, 1859; *flegialis* Walker, 1859; *noraxalis* Walker, 1859; *ocellusalis* Walker, 1859; *paloepalis* Walker, 1859; *probalis* Walker, 1859; *catenalis* Walker, [1866]; *concatenalis* Walker, [1866]; *juncturalis* Walker, [1866]; *tauricalis* Caradja, 1917 05 28 31 33 65
- 712) *Pyrausta* (s.str.) *inciae* Koçak, 1982 (Pylalidae) *meridionalis* Staudinger, 1880 nec Wcke, 1871; *inciae* Koçak, 1982. 13 33 42 65
- 713) *Sefidia clasperella* Asselberg, 1994 (Pylalidae) *clasperella* Asselberg, 1994 33 42
- 714) *Spoladea recurvalis* (Fabricius, 1775) (Pylalidae) *recurvalis* Fabricius, 1775; *fascialis* Cramer, [1782]; *recurvella* Zincken, 1818; *diffascialis* Hübner, [1825]; *albifacialis* Boisduval, 1833; *animalis* Guenée, 1854; *exodias* Meyrick, 1904; *formosana* Shiraki, 1913. 33
- 715) *Synaphe consecratialis* (Lederer, 1855) (Pylalidae) *consecratialis* Lederer, 1855 01 06 21 27 31 33 46 58 65 76
- 716) *Thopentis galleriellus* (Ragonot, 1892) (Pylalidae) *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rothschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935. 33
- 717) *Tretopteryx pertusalis* (Geyer, [1832]) (Pylalidae) *pertusalis* Geyer, [1832] 05 06 25 31 32 33 35 46 65
- 718) *Udea ferrugalis* (Hübner, 1796) (Pylalidae) *ferruginalis* Rossi, 1794; *ferrugalis* Hübner, 1796; *#ferrugalis* Hübner, 1796; *martialis* Guenée, 1854; *hypatialis* Walker, 1859; *testacea* Butler, 1879 03 05 06 07 14 16 17 31 32 33 34 35 38 42 44 46 58 65 71
- 719) *Saturnia* (Perisomena) *caecigena* (Kupido, 1825) (Saturniidae) *caecigena* Kupido, 1825; *caecigena* Schultz, 1910; *wiskotti* Niepelt, 1914; *derosata* Schawerda, 1914; *transcaucasica* O. Bang-Haas, 1927; *parviocellata* Friedel, 1968 04 05 06 07 12 16 22 25 33 35 42 60 71
- 720) *Saturnia* (s.str.) *pyri* (Denis & Schiffmüller, 1775) (Saturniidae) *pyri* [Denis & Schiffmüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 721) *Arethusa arethusa* (Denis & Schiffmüller, 1775) (Saturniidae) *arethusa* [Denis & Schiffmüller], 1775; *erythia* Hübner, 1805; *pontica* Heyne, [1895]; *sultana* Wagner, 1929; *hakkarica* Koçak, 1975 (sensu Hesselbarth et al., 1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 722) *Brintesia circe* (Fabricius, 1775) (Satyridae) *circe* Fabricius, 1775; *proserpina* Denis & Schiffmüller, 1775; *maga* Fruhstorfer, 1909; *venefica* Fruhstorfer, 1909; *gabalia* Gaillard, 1959; *maladetta* Varin, 1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 723) *Chazara* (Neochazara) *anthe* (Hoffmannsegg, 1804) (Satyridae) *anthe* Hoffmannsegg, 1804; *persephone* Hübner, 1805; *anthe* Ochsenheimer, 1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 724) *Chazara* (s.str.) *briseis* (Linnaeus, 1764) (Satyridae) *briseis* Linnaeus, 1764; *daedala* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80

- 725) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 726) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 727) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea sensu* Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 728) **Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 729) **Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) *mersina* Staudinger,1871; *malickyi* Kudrna,1977. 01 07 10 16 17 27 31 32 33 34 35 42 45 46 48 51 70 80
- 730) **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 731) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 732) **Hyponephele (s.str. (Turaninphele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) *wagneri* Herrich-Schäffer,[1846]; *schmidtii* Bang-Haas,1927. 01 02 07 12 13 21 23 24 27 30 33 44 47 50 56 58 62 63 65 73
- 733) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 734) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon* Rottemburg,1775; *lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 735) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana* Cramer,[1777] 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 736) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hieria* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 737) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 738) **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *telmessia* Zeller,1847; *pallascens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasii* Kattulas & Koutsafikis,1978. 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 48 51 56 62 63 65 70 72 73 80
- 739) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 740) **Maniola (s.str.) megala (Oberthür,1909)** (Satyridae) *megala* Oberthür,1909; *maraschi* Pfeiffer,1932; *antalyana* Tauber,1970. 01 07 31 33 35 46 48 80
- 741) **Melanargia (Turcargia) titea (Klug,1832)** (Satyridae) *titea* Klug,1832 01 02 27 31 33 44 46 63 80
- 742) **Pararge aegeria (Linnaeus,1758)** (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 743) **Proterebia afra (Fabricius,1787)** (Satyridae) *afra* Fabricius,1787 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 744) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 745) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 746) **Pseudochazara (s.str.) lydia (Staudinger,1878)** (Satyridae) *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978. 01 03 07 15 16 20 32 33 35 42 43 48 64 70
- 747) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 748) **Pseudochazara (s.str.) mnischei (Herrich-Schäffer,[1851])** (Satyridae) *mnischei* Herrich-Schäffer,[1851] 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 749) **Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) *proserpina* Cyrillo,1787 *nec* Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 *nec* Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800]. 01 03 07 32 33 42 46 51
- 750) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius* Staudinger,[1892] 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 751) **Ypthima asterope (Klug,1832)** (Satyridae) *asterope* Klug,1832; *marlenii* Kattulas & Koutsafikis,1978. 01 07 31 33 48
- 752) **Enolmis desidella (Lederer,1855)** (Scythridae) *desidella* Lederer,1855 01 33
- 753) **Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880. 05 16 33
- 754) **Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) *apicalis* Zeller,1847; *unipunctella* Rebel,1901. 31 33 46 48 65
- 755) **Scythris (seliniella-gr.) seliniella (Zeller,1839)** (Scythridae) *seliniella* Zeller,1839 05 33 38
- 756) **Bembecia ichneumoniformis (Denis & Schiffermüller,1775)** (Sesiidae) *ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrphaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910 07 16 33 36
- 757) **Bembecia lomatiaeformis Lederer,1853** (Sesiidae) *lomatiaeformis* Lederer,1853 05 21 33
- 758) **Bembecia sanguinolenta (Lederer,1853)** (Sesiidae) *sanguinolenta* Lederer,1853 01 25 33 42 47 50 65
- 759) **Chamaesphesia alysoniformis (Herrich-Schäffer,1846)** (Sesiidae) *alysoniformis* Herrich-Schäffer,1846 01 05 08 16 33
- 760) **Chamaesphesia chalciformis (Esper,[1804])** (Sesiidae) *chalciformis* Esper,[1804] 02 07 16 33 46
- 761) **Chamaesphesia haberhaueri (Staudinger,1878)** (Sesiidae) *haberhaueri* Staudinger,1878 31 33 46
- 762) **Chamaesphesia odyneriformis (Herrich-Schäffer,1846)** (Sesiidae) *odyneriformis* Herrich-Schäffer,1846 33v 46

- 763) *Diphaspecia sertavula* Bartsch & Spatenka, 2002 (Sesiidae) *sertavula* Bartsch & Spatenka, 2002 33
- 764) *Euhagena palariiformis* (Lederer, 1858) (Sesiidae) *palariiformis* Lederer, 1858; *diocriiformis* Romanoff, 1884; *rubescens* Staudinger, 1887; *almana* Rebel, 1917 01 02 05 07 30 32 33 42 44 46 47 73 76 80
- 765) *Osminia fenusaeformis* (Herrich-Schäffer, 1852) (Sesiidae) *fenusaeformis* Herrich-Schäffer, 1852; *fenusiformis* Staudinger, 1856 01 09 16 33 35 46
- 766) *Paranthrene insolita* Le Cerf, 1914 (Sesiidae) *insolita* Le Cerf, 1914; *aurantiacum* Rebel, 1917. 01 06 11 14 24 26 31 33 42 46 47 62 70
- 767) *Pyropteron minianiformis* (Freyer, 1843) (Sesiidae) *minianiformis* Freyer, 1843 07 10 16 22 32 33 35 39 42 48
- 768) *Synanthedon vespiformis* (Linnaeus, 1761) (Sesiidae) *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriiformis* Rottemburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795 01 05 06 07 08 15 16 22 25 33 39 42 60 65
- 769) *Tinthia brosiiformis* (Hübner, [1813]) (Sesiidae) *brosiiformis* Hübner, [1813] 01 04 05 08 16 25 30 33 38 42 46
- 770) *Tinthia myrmosaeformis* (Herrich-Schäffer, 1846) (Sesiidae) *myrmosaeformis* Herrich-Schäffer, 1846; *#lucida* Lederer, 1853; *myrmosiformis* Staudinger, 1856. 01 05 06 16 33 36 39 42 46 50
- 771) *Akbesia davidi* (Oberthür, 1884) (Sphingidae) *davidi* Oberthür, 1884 01 27 30 31 33 46 63 65 73
- 772) *Daphnis nerii* (Linnaeus, 1758) (Sphingidae) *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934. 07 09 30 33 34 35 42 46
- 773) *Deilephila porcellus* (Linnaeus, 1758) (Sphingidae) *porcellus* Linnaeus, 1758 05 06 16 33 35 45 58 60 71
- 774) *Dolbina elegans* (A. Bang-Haas, 1912) (Sphingidae) *elegans* A. Bang-Haas, 1912; *steffensi* Popescu-Gorj, 1971. 31 32 33 62 65
- 775) *Hemaris (Cochrania) croatica* (Esper, [1779]) (Sphingidae) *croatica* Esper, [1779]; *sesia* Hübner, [1806]; *#obscurata* Closs, 1911; *#rangnowi* Closs, 1911. 05 06 13 16 30 33 42 44 45 46 50 60 65 71
- 776) *Hippotion celerio* (Linnaeus, 1758) (Sphingidae) *celerio* Linnaeus, 1758; *tisiphone* Linnaeus, 1758; *inquilinus* Harris, 1780; *phoenix* Oken, 1815; *ocys* Hübner, [1819]; *albolineatus* Montrouzier, 1864 33 35
- 777) *Hyles conspicua* (Rothschild & Jordan, 1903) (Sphingidae) *conspicua* Rothschild & Jordan, 1903. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 778) *Hyles gallii* (Rottemburg, 1775) (Sphingidae) *gallii* Rottemburg, 1775; *intermedia* Kirby, 1837; *oxybaphi* Clemens, 1859; *gallii* Kirby, 1892; *sachaliensis* Matsumura, 1929; *nepalensis* Daniel, 1961; *tibetanica* Eichler, 1971. 05 33 60
- 779) *Hyles livornica* (Esper, [1780]) (Sphingidae) *livornica* Esper, [1780]; *koechlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998. 01 05 06 07 09 16 17 19 23 30 33 34 35 36 45 46 47 53 58 60 61 63 73
- 780) *Macroglossum stellatarum* (Linnaeus, 1758) (Sphingidae) *stellatarum* Linnaeus, 1758; *nigra* Cosmovici, 1892. 01 05 06 09 10 11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
- 781) *Neopterodonta gorgoniades* (Hübner, [1819]) (Sphingidae) *gorgon* Esper, [1804] (*praeocc.*); *gorgoniades* Hübner, [1819]; *chloroptera* von Mentzer, 1974. 05 16 33 46 50 60
- 782) *Theretra alecto* (Linnaeus, 1758) (Sphingidae) *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O. Bang-Haas, 1927; *intermissa* Gehlen, 1941. 07 10 16 33 34 35 46
- 783) *Thaumatopoea (Traumatocampa) pityocampa* [Denis & Schiffermüller, 1775] (Thaumatopoeidae) *#pityocampa* [Denis & Schiffermüller], 1775; *ceballosi* Agenjo, 1941 01 05 07 10 16 19 31 33 34 42 55 59 60
- 784) *Thaumatopoea (Traumatocampa) wilkinsoni* Tams, 1925 (Thaumatopoeidae) *wilkinsoni* Tams, 1925 01 02 07 09 20 27 31 33 35 46
- 785) *Thaumatopoea (s.str.) solitaria* (Freyer, [1838]) (Thaumatopoeidae) *solitaria* Freyer, [1838] 05 07 16 27 31 33 34 35 42 45 46 60 63
- 786) *Polyplocia korbi* Rebel, 1901 (Thyatiridae) *korbi* Rebel, 1901 06 07 31 33 42 46 64 73
- 787) *Thyris fenestrella* (Scopoli, 1763) (Thyridae) *fenestrella* Scopoli, 1763; *fenestrina* [Denis & Schiffermüller], 1775; *marica* Cyrillo, 1792; *pyralidiformis* Hübner, 1796; *fenestrata* Schrank, 1801; *nevadae* Oberthür, 1888; *nigra* A. Bang-Haas, 1910. 05 16 33 34 46 60
- 788) *Ceratuncus affinitellus* (Rebel, 1901) (Tineidae) *affinitellus* Rebel, 1901; *#extinctella* Caradja, 1920; *maraschensis* Rebel, 1936; *irakella* Amsel, 1949; *libanotica* Amsel, 1951. 33 38 42 46 47
- 789) *Euplocamus anthracinalis* (Scopoli, 1763) (Tineidae) *anthracinalis* Scopoli, 1763; *anthracinella* [Denis & Schiffermüller], 1775; *fuesslinella* Sulzer, 1776; *guttella* Fabricius, 1781; *anthracina* Borkhausen, 1793; *fuesslinaria* Esper, [1801]; *guttatus* Latreille, 1809; *amanalis* Osthelder, 1935. 05 16 33 35 46 61
- 790) *Fermocelina latiusculella* (Stainton, 1867) (Tineidae) *latiusculella* Stainton, 1867 16 33 38 42 46
- 791) *Infurcitinea graeca* Gaedike, 1983 (Tineidae) *graeca* Gaedike, 1983; *graeca* G. Petersen & Gaedike, 1983 33
- 792) *Infurcitinea tauridella* G. Petersen, 1968 (Tineidae) *tauridella* G. Petersen, 1968; *juliae* Satschkov, 1995. 33
- 793) *Lichenotinea pustulatella* (Zeller, 1852) (Tineidae) *pustulatella* Zeller, 1852 33
- 794) *Nemapogon arenbergeri* Gaedike, 1986 (Tineidae) *arenbergeri* Gaedike, 1986 32 33 42 70
- 795) *Nemapogon signatella* G. Petersen, 1957 (Tineidae) *signatellus* G. Petersen, 1957 05 06 14 16 33 71
- 796) *Praelongicera palaestinella* (Amsel, 1956) (Tineidae) *palaestinella* Amsel, 1956 33
- 797) *Reisserita chrysopterella* (Herrich-Schäffer, [1854]) (Tineidae) *chrysopterella* Herrich-Schäffer, [1854] 33
- 798) *Rhodobates laevigatellus* (Herrich-Schäffer, [1854]) (Tineidae) *laevigatellus* Herrich-Schäffer, [1854]. 05 06 24 27 33 38 42 44 46 71
- 799) *Aethes francillana* (Fabricius, 1794) (Tortricidae) *francillana* Fabricius, 1794; *francillonana* Humprey & Westwood, 1845; *ferulae* Müller-Rutz, 1920. 05 06 16 33 42 45
- 800) *Cochylimorpha straminea* (Haworth, [1811]) (Tortricidae) *straminea* Haworth, [1811]; *tischerana* Treitschke, 1830; *sudana* Duponchel, 1836; *substraminea* Ragonot, 1895; *scabiosana* Kennel, 1900; *lentiginosana* Kennel, 1900; *ramessana* Rebel, 1912; *numidana* Turati, 1924; *glaisana* Lucas, 1942; *pallens* Lucas, 1954. 05 06 16 33 35 46
- 801) *Cochylis roseana* (Haworth, [1811]) (Tortricidae) *roseana* Haworth, [1811]; *rubellana* Hübner, [1823]; *dipsaceana* Duponchel, 1843; *undulatana* Kennel, 1899. 33
- 802) *Cydia alienana* Caradja, 1916 (Tortricidae) *alienana* Caradja, 1916; *pfeifferi* Rebel, 1935 33 46
- 803) *Diceratura rhodograpta* Djakonov, 1929 (Tortricidae) *rhodograpta* Djakonov, 1929 05 06 33 42
- 804) *Hedya pruniana* (Hübner, [1799]) (Tortricidae) *pruniana* Hübner, [1799]; *pruneticolana* Zeller, 1849 03 05 14 16 27 33 42 45 46 71 81
- 805) *Lathronympha strigana* (Fabricius, 1775) (Tortricidae) *strigana* Fabricius, 1775; *politana* [Denis & Schiffermüller], 1775; *hypericana* Hübner, [1799]. 14 16 33 38
- 806) *Lobesiodes euphorbiana* (Freyer, 1842) (Tortricidae) *euphorbiana* Freyer, 1842 33
- 807) *Pammene blockiana* (Herrich-Schäffer, [1851]) (Tortricidae) ? *blockiella* Rossi, 1794; *blockiana* Herrich-Schäffer, [1851]; *cupressana* Zerny, 1927 33
- 808) *Pelochrista medullana* (Staudinger, 1880) (Tortricidae) *medullana* Staudinger, 1880 01 05 14 16 33 35 46
- 809) *Sparganothis pilleriana* ([Denis & Schiffermüller], 1775) (Tortricidae) *pilleriana* [Denis & Schiffermüller], 1775 01 05 16 32 33 46 48 50
- 810) *Thiodia fessana* (Mann, 1873) (Tortricidae) *fessana* Mann, 1873 05 33
- 811) *Eidophasia tauricella* Staudinger, 1879 (Yponomeutidae) *tauricella* Staudinger, 1879 33
- 812) *Adscita (Tarmannita) mannii* (Lederer, 1853) (Zygaenidae) *mannii* Lederer, 1853; *heydenreichii* Lederer, 1853; *crassicornis* Staudinger, 1862; *prasina* Rothschild, 1917; *glauca* Verity, 1946; *pseudostatices* Verity, 1946. 33
- 813) *Adscita (s.str.) obscura* (Zeller, 1847) (Zygaenidae) *obscura* Zeller, 1847; *anceps* Staudinger, 1862. 05 06 12 16 31 33 35 36 38 42 46 50 51 63 65 71 80
- 814) *Jordanita (Lucasiterna) subsolana* (Staudinger, 1862) (Zygaenidae) *subsolana* Staudinger, 1862 06 29 32 33 35 38 60 63 65 75

- 815) *Jordanita (Praviela) anatolica* (Naufock,1929) (Zygaenidae) *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998. 13 23 27 30 33 42 44 46 47 63 65
- 816) *Jordanita (Roccia) budensis* (Speyer & Speyer,1858) (Zygaenidae) *budensis* Speyer & Speyer,1858 05 06 29 33 36 42 51 58 62 69 70
- 817) *Jordanita (Roccia) hector* (Jordan,1909) (Zygaenidae) *hector* Jordan,1909; *#monotona* Alberti,1937 01 03 31 33 42 80
- 818) *Jordanita (s.str.) chloronota* Staudinger,1870 (Zygaenidae) *chloronota* Staudinger,1870; *#minima* Alberti,1937 01 33
- 819) *Jordanita (s.str.) graeca* (Jordan,1907) (Zygaenidae) *graeca* Jordan,1907; *sultana* Alberti,1937 06 13 24 30 33 42 47 49 50 62 65
- 820) *Rhagades (Wiegelia) amasina* (Herrich-Schäffer,1851) (Zygaenidae) *amasina* Herrich-Schäffer,1851 01 03 05 09 17 33 35 45 46 51 63
- 821) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 822) *Zygaena (Mesembrynus) corycia* Staudinger,1878 (Zygaenidae) *corycia* Staudinger,1878 01 16 33 45 80
- 823) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775) (Zygaenidae) *minos* [Denis & Schiffermüller],1775. 01 06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 824) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808 (Zygaenidae) *punctum* Ochsenheimer,1808 04 05 06 12 13 17 23 33 35 42 44 45 49 57 58 60 66 76
- 825) *Zygaena (s.str.) dorycnii* Ochsenheimer,1808 (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 826) *Zygaena (s.str.) graslini* Lederer,1855 (Zygaenidae) *graslini* Lederer,1855 33 46
- 827) *Zygaena (s.str.) problematica* Naumann,1966 (Zygaenidae) *problematica* Naumann,1966 33
- 828) *Zygaena (s.str.) ramburii* Herrich-Schäffer,1861 (Zygaenidae) *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861 31 33

Contents / İçindekiler: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Içel Province (South Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistants: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 -

DCS@york.biosis.org